

Large Format Source Units

VRCPAA-106F - W/ DVD VRCPAA-106M - DIGITAL MEDIA

2-DIN CAR STEREO W/ APPLE CARPLAY, ANDROID AUTO, BLUETOOTH CONNECTIVITY, & ARTICULATING 10.6" LCD









androidauto



ENTERTAINMENT CENTER GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
Articulating Faceplate for Height, Tilt, & Pivot
1024x600 Resolution WSVGA 10.6" LCD Display
Pinpoint Accuracy Capacitive Touchscreen
Works W/ Apple CarPlay & Siri Eyes Free
Works W/ Android Auto & Google Assistant
Bluetooth V5.0 Hands Free Wireless Connectivity
DVD Video & CD Audio Playback (VRCPAA-106F only)
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Second USB-A Connection for 2A Quick Charging
Advanced FM/AM Tuner with RDBS Data Display
Accepts Analog OEM Steering Wheel Controls
Rear Back-up Camera & Front View Camera Input
10-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

HANDS-FREE PROFILE DIALS & RECEIVES CALLS & DISPLAYS CALL LOGS PHONE BOOK ACCESS PROFILE DISPLAYS CALLER ID INFO & CONTACTS AUDIO/VIDEO REMOTE CONTROL PROFILE ENABLES PLAYBACK CONTROLS ADVANCED AUDIO DISTRIBUTION PROFILE STREAMS AUDIO WIRELESSLY

AUDIO/VIDEO CONFIGURATIONS





















Large Format Source Units

VR-106FD - W/ DVD VR-106FM - DIGITAL MEDIA

2-DIN CAR STEREO W/ PHONELINK FOR ANDROID, BLUETOOTH CONNECTIVITY, & ARTICULATING 10.6" LCD







ENTERTAINMENT CENTER GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
Articulating Faceplate for Height, Tilt, & Pivot
1024x600 Resolution WSVGA 10.6" LCD Display
Pinpoint Accuracy Capacitive Touchscreen
Phonelink For Android 2-way Screen Mirroring
Bluetooth V5.0 Hands Free Wireless Connectivity
DVD Audio/Video Playback & CD Audio Playback (VR-106FD)
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Second USB-A Connection for 2A Quick Charging
Advanced FM/AM Tuner with RDBS Data Display
Accepts Analog OEM Steering Wheel Controls
Rear Back-up Camera & Front View Camera Input
10-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

HANDS-FREE PROFILE DIALS & RECEIVES CALLS & DISPLAYS CALL LOGS PHONE BOOK ACCESS PROFILE DISPLAYS CALLER ID INFO & CONTACTS AUDIO/VIDEO REMOTE CONTROL PROFILE ENABLES PLAYBACK CONTROLS ADVANCED AUDIO DISTRIBUTION PROFILE STREAMS AUDIO WIRELESSLY



PHONELINK FOR ANDROID

ENABLED SMART DEVICE MIRRORS DISPLAY TO HEAD UNIT 2-WAY COMMUNICATION ENABLES MOBILE DEVICE CONTROL STAY CONNECTED WITHOUT HANDLING DISTRACTING DEVICES RETAINS USE OF SMART DEVICE'S VOICE RECOGNITION SERVICE CONNECTION REQUIRES ORIGINAL USB CHARGING CABLE 2A USB CHARGING MAINTAINS BATTERY LIFE

AUDIO/VIDEO CONFIGURATIONS





















CarPlay & Android Auto Source Units

VRCPAA-7DR - W/ DVD VRCPAA-7DRM - DIGITAL MEDIA

2-DIN CAR STEREO W/ APPLE CARPLAY, ANDROID AUTO, BLUETOOTH CONNECTIVITY, & 7" LCD







androidauto



ENTERTAINMENT CENTER GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
800x480 Resolution WVGA 7" LCD Display
Pinpoint Accuracy Capacitive Touchscreen
Works W/ Apple CarPlay & Siri Eyes Free
Works W/ Android Auto & Google Assistant
Bluetooth V5.0 Hands Free Wireless Connectivity
DVD Video & CD Audio Playback (VRCPAA-70DR only)
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Advanced FM/AM Tuner with RDBS Data Display
Accepts Analog OEM Steering Wheel Controls
Rear Back-up Camera & Front View Camera Input
10-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

HANDS-FREE PROFILE DIALS & RECEIVES CALLS & DISPLAYS CALL LOGS PHONE BOOK ACCESS PROFILE DISPLAYS CALLER ID INFO & CONTACTS AUDIO/VIDEO REMOTE CONTROL PROFILE ENABLES PLAYBACK CONTROLS ADVANCED AUDIO DISTRIBUTION PROFILE STREAMS AUDIO WIRELESSLY

AUDIO/VIDEO CONFIGURATIONS





















CarPlay & Android Auto Source Units

VRCPAA-70M - USB Carplay & Android Auto VRCPAA-70MW - Wireless Carplay & Android Auto

2-DIN DIGITAL MEDIA CAR STEREO W/ APPLE CARPLAY, ANDROID AUTO, & 7" LCD



androidauto









ENTERTAINMENT CENTER GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
800x480 Resolution WVGA 7" LCD Display
Pinpoint Accuracy Capacitive Touchscreen
Works w/ Apple CarPlay & Siri Eyes Free
Works w/ Android Auto & Google Assistant
Wfi for Wireless Carplay & Android Auto (VRCPAA-70MW)
Bluetooth V5.0 Hands Free Wireless Connectivity
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Advanced FM/AM Tuner with RDBS Data Display
Accepts Analog OEM Steering Wheel Controls
Rear Back-up Camera & Front View Camera Input
10-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

HANDS-FREE PROFILE DIALS & RECEIVES CALLS & DISPLAYS CALL LOGS PHONE BOOK ACCESS PROFILE DISPLAYS CALLER ID INFO & CONTACTS AUDIO/VIDEO REMOTE CONTROL PROFILE ENABLES PLAYBACK CONTROLS ADVANCED AUDIO DISTRIBUTION PROFILE STREAMS AUDIO WIRELESSLY

AUDIO/VIDEO CONFIGURATIONS





















Double Screen Source Unit

VRN-DD7HB

2-DIN GPS Navigation, DVD, CD/MP3, AM/FM Receiver w/ Dual 7" LCD Touch Screens, Phonelink for Android, & Bluetooth Connectivity









GPS & DVD MULTIMEDIA ENTERTAINMENT SYSTEM W/ 2 LCDs

MILITARY GRADE HIGH TORQUE MOTORIZATION MECHANISMS
ALLOY STEEL SERVO DRIVE MOTORS & GEARING NETWORK
ANTI-SKIP MECHANISM FOR TODAY'S ROAD CONDITIONS
DUAL OPERATING SYSTEMS ENABLE MULTITASKING FUNCTIONALITY
INDEPENDENT OS'S FOR GPS W/ PHONELINK FOR ANDROID & MULTIMEDIA
SIMULTANEOUS GPS NAVIGATION OR PHONELINK W/ MULTIMEDIA PLAYBACK

DYNAMIC USER INTERFACE W/ SMARTSENSE TECHNOLOGY

7" HD QUALITY 800X480 HIGH RESOLUTION TFT-LCD DISPLAYS
PINPOINT ACCURACY SMARTSENSE CLEAR GLASS CAPACTIVE TOUCHSCREEN
LOW REFLECTION INDUSTRIAL GRADE GLASS TOP PANEL
LARGE FORMAT USER INTERFACE REDUCES DRIVER DISTRACTION
17 MILLION RGB COLOR COMBINATION TOUCH KEY ILLUMINATION

TURN-BY-TURN GPS NAVIGATION POWERED BY IGO PRIMO

USA & PUERTO RICO MAP INCLUDED ON MICRO SD CARD 17 MILLION POINTS OF INTEREST DATABASE INCLUDED MAP & POI UPDATES AVAILABLE FROM NAVIEXTRAS.COM ON-SCREEN & AUDIBLE TEXT-TO-SPEECH COMMANDS HIGHWAY & MAJOR ROAD LANE DEPARTURE GUIDANCE



BLUETOOTH V4.0 HANDS-FREE WIRELESS CONNECTIVITY

HANDS-FREE PROFILE FOR PHONE CALLING & DISPLAYING CALL LOGS PHONE BOOK ACCESS PROFILE DISPLAYS CALLER ID & CONTACTS LIST AUDIO/VIDEO REMOTE CONTROL PROFILE ENABLES PLAYBACK CONTROLS ADVANCED AUDIO DISTRIBUTION PROFILE STREAMS AUDIO WIRELESSLY

PHONELINK FOR ANDROID

ENABLED SMART DEVICE MIRRORS DISPLAY TO HEAD UNIT 2-WAY COMMUNICATION ENABLES MOBILE DEVICE CONTROL STAY CONNECTED WITHOUT HANDLING DISTRACTING DEVICES RETAINS USE OF SMART DEVICE'S VOICE RECOGNITION SERVICE CONNECTION REQUIRES ORIGINAL USB CHARGING CABLE 2A USB CHARGING MAINTAINS BATTERY LIFE (REAR)

DIGITAL MEDIA PLAYBACK

PLAYBACK OF MP3 & WMA AUDIO FILES FROM 64GB USB PLAYBACK OF AVI, MP4, & H264 VIDEO FILES FROM 64GB USB VIEW JPEG, GIF, PNG, AND BMP IMAGE FILES FROM 64GB USB ID3 MP3 TAG READING FOR TRACK & ARTIST INFORMATION

AUDIO/VIDEO CONFIGURATIONS

REAR AUDIO/VIDEO INPUT FOR PERSONAL MEDIA DEVICES
FRONT & REAR RCA PRE-AMP AUDIO OUTPUTS, 4V
SUBWOOFER RCA PRE-AMP AUDIO OUTPUT, 4V
VIDEO RCA OUTPUT TO AUXILIARY DEVICES
REAR VIEW CAMERA INPUT W/ MANUAL OR AUTO-TRIGGER

GENERAL/OTHER FUNCTIONS

ACCEPTS OEM STEERING WHEEL CONTROL INTERFACES
ADVANCED FM/AM TUNER WITH RDBS DATA DISPLAY
3-BAND PARAMETRIC EQ W/ Q FACTOR & 15DB BOOST/CUT
12DB LOW-PASS SUBWOOFER CROSSOVER & 15DB BOOST/CUT
300W 4CH. HIGH POWER MOSFET SPEAKER OUTPUTS























VRN-65HB - Includes GPS Navigation & Android PhoneLink
ISO 2-DIN GPS Navigation Multimedia Receiver w/ Bluetooth Connectivity, & 6.2" Touchscreen LCD









GENERAL INFORMATION

2-DIN GPS DVD MULTIMEDIA SYSTEM W/ 6.2" LCD ISO 2-DIN CHASSIS, MOUNTING BRACKETS INCLUDED HD 6.2" 800X480 LCD W/ ADJUSTABLE BACKLIGHT SMARTSENSE CLEAR GLASS CAPACTIVE TOUCHSCREEN BLUETOOTH 4.0 PHONE CALLING + A2DP AUDIO STREAMING RCA BACK-UP CAMERA INPUT W/ +12V AUTO-ON TRIGGER 10-BAND 14DB BOOST/CUT EQUALIZER W/ PRESET (VRN-65HB) 7-COLOR RGB LED ILLUMINATED KEYS & ACCENTS (VRN-65HXB)

DIGITAL MEDIA PLAYBACK

VIDEO & AUDIO PLAYBACK FROM DVD, DVDR, CD, & CDR DISCS VIDEO & AUDIO PLAYBACK FROM 64GB USB OR MICRO/TF SD CARD 720P MP4 & WMV VIDEO PLAYBACK; MP3 & WMA AUDIO PLAYBACK

AUDIO/VIDEO IN'S & OUT'S

6CH PREAMP RCA OUTPUTS; FRONT + REAR + VARIABLE SUBWOOFER RCA A/V INPUT FOR EXTERNAL SOURCE INPUT + 2 RCA VIDEO OUTPUT 4CH. 300W MAX CLASS A/B FULL RANGE SPEAKER AMPLIFIER BUILT-IN



GPS NAVIGATION

TURN-BY-TURN GPS NAVIGATION W/ ROUTE GUIDANCE USA MAP & +17 MILLION POINT-OF-INTEREST DATABASE CHOOSE DESTINATION BY ADDRESS, POI, OR GPS LOCATION ON-SCREEN & AUDIBLE TEXT-TO-SPEECH COMMANDS HIGHWAY & MAJOR ROAD LANE DEPARTURE GUIDANCE



PHONELINK FOR ANDROID

ENABLED SMART DEVICE MIRRORS DISPLAY TO HEAD UNIT 2-WAY COMMUNICATION ENABLES MOBILE DEVICE CONTROL STAY CONNECTED WITHOUT HANDLING DISTRACTING DEVICES RETAINS USE OF SMART DEVICE'S VOICE RECOGNITION SERVICE CONNECTION REQUIRES ORIGINAL USB CHARGING CABLE 1A USB CHARGING MAINTAINS BATTERY LIFE (REAR)























VRN-64HBL

ISO 2-DIN GPS Navigation Multimedia Receiver w/ Bluetooth Connectivity, & 6.2" LCD



GENERAL INFORMATION

2-DIN MULTIMEDIA SYSTEM W/ 6.2" LCD
ISO 2-DIN CHASSIS, MOUNTING BRACKETS INCLUDED
HD 6.2" 800X480 LCD W/ ADJUSTABLE BACKLIGHT
SMARTSENSE CLEAR GLASS RESISTIVE TOUCHSCREEN
BLUETOOTH 4.0 PHONE CALLING + A2DP AUDIO STREAMING
RCA BACK-UP CAMERA INPUT W/ +12V AUTO-ON TRIGGER
FRONT CAMERA RCA INPUT W/ ON-SCREEN TRIGGER
10-BAND 14DB BOOST/CUT EQUALIZER W/ PRESET (VRN-65HB)
7-COLOR RGB LED ILLUMINATED KEYS & ACCENTS

DIGITAL MEDIA PLAYBACK

VIDEO & AUDIO PLAYBACK FROM DVD, DVDR, CD, & CDR DISCS VIDEO & AUDIO PLAYBACK FROM 64GB USB OR MICRO/TF SD CARD 720P MP4 & WMV VIDEO PLAYBACK; MP3 & WMA AUDIO PLAYBACK

AUDIO/VIDEO IN'S & OUT'S

AUX AUDIO (3.5MM) INPUT FOR EXTERNAL DEVICES ON FRONT PANEL 6CH PREAMP RCA OUTPUTS; FRONT + REAR + VARIABLE SUBWOOFER RCA A/V INPUT FOR EXTERNAL SOURCE INPUT + 2 RCA VIDEO OUTPUT 4CH. 300W MAX CLASS A/B FULL RANGE SPEAKER AMPLIFIER BUILT-IN



GPS NAVIGATION

TURN-BY-TURN GPS NAVIGATION W/ ROUTE GUIDANCE USA MAP & +17 MILLION POINT-OF-INTEREST DATABASE CHOOSE DESTINATION BY ADDRESS, POI, OR GPS LOCATION ON-SCREEN & AUDIBLE TEXT-TO-SPEECH COMMANDS HIGHWAY & MAJOR ROAD LANE DEPARTURE GUIDANCE



PHONELINK FOR ANDROID

ENABLED SMART DEVICE MIRRORS DISPLAY TO HEAD UNIT 2-WAY COMMUNICATION ENABLES MOBILE DEVICE CONTROL STAY CONNECTED WITHOUT HANDLING DISTRACTING DEVICES RETAINS USE OF SMART DEVICE'S VOICE RECOGNITION SERVICE CONNECTION REQUIRES ORIGINAL USB CHARGING CABLE 1A USB CHARGING MAINTAINS BATTERY LIFE (FRONT)























VRN-624B

ISO 2-DIN GPS Navigation Multimedia Receiver w/ Bluetooth Connectivity, & 6.2" LCD









GENERAL INFORMATION

2-DIN MULTIMEDIA SYSTEM W/ 6.2" LCD
ISO 2-DIN CHASSIS, MOUNTING BRACKETS INCLUDED
HD 6.2" 800X480 LCD W/ ADJUSTABLE BACKLIGHT
CLEAR GLASS RESISTIVE ANTI-GLARE TOUCHSCREEN
7-COLOR RGB LED ILLUMINATED KEYS & ACCENTS
BLUETOOTH 4.0 PHONE CALLING + A2DP AUDIO STREAMING
RCA BACK-UP CAMERA INPUT W/ +12V AUTO-ON TRIGGER
8-BAND 8DB BOOST/CUT EQUALIZER & PRESET EQS

DIGITAL MEDIA PLAYBACK

VIDEO & AUDIO PLAYBACK FROM DVD, DVDR, CD, & CDR DISCS VIDEO & AUDIO PLAYBACK FROM 64GB USB OR MICRO/TF SD CARD 720P MP4 & WMV VIDEO PLAYBACK; MP3 & WMA AUDIO PLAYBACK

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel 6ch Preamp RCA Outputs; Front + Rear + Subwoofer RCA Video Output to Rear Seat Entertainment Systems 4Ch. 300W Max Class A/B Full Range Speaker Amplifier Built-in





GPS NAVIGATION

TURN-BY-TURN GPS NAVIGATION W/ ROUTE GUIDANCE USA MAP & +17 MILLION POINT-OF-INTEREST DATABASE CHOOSE DESTINATION BY ADDRESS, POI, OR GPS LOCATION ON-SCREEN & AUDIBLE TEXT-TO-SPEECH COMMANDS HIGHWAY & MAJOR ROAD LANE DEPARTURE GUIDANCE























VRN-75HB

ISO 1-DIN GPS Navigation Multimedia Receiver w/ Android PhoneLink, Bluetooth Connectivity, & Motorized 7" LCD









GENERAL INFORMATION

1-DIN MULTIMEDIA SYSTEM W/ MOTORIZED 7" LCD ISO 1-DIN CHASSIS, MOUNTING SLEEVE INCLUDED THEFT-DETERRENT DETACHABLE FACEPLATE W/ CASE HD 7" 800X480 LCD W/ ADJUSTABLE BACKLIGHT 4-POSITION TILTING LCD W/ LAST POSITION MEMORY SMARTSENSE CLEAR GLASS CAPACITIVE TOUCHSCREEN BLUETOOTH 4.0 PHONE CALLING + A2DP AUDIO STREAMING 10-BAND 14DB BOOST/CUT EQUALIZER W/ PRESET RCA BACK-UP CAMERA INPUT W/ +12V AUTO-ON TRIGGER

DIGITAL MEDIA PLAYBACK

VIDEO & AUDIO PLAYBACK FROM DVD, DVDR, CD, & CDR DISCS VIDEO & AUDIO PLAYBACK FROM 64GB USB OR FULL SIZE SD CARD 720P MP4 & WMV VIDEO PLAYBACK; MP3 & WMA AUDIO PLAYBACK

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel 5ch Preamp RCA Outputs; Front + Rear + Variable Subwoofer RCA Video Output to Rear Seat Entertainment Systems 4Ch. 300W Max Class A/B Full Range Speaker Amplifier Built-in











GPS NAVIGATION

Turn-by-Turn GPS Navigation w/ Route Guidance USA Map & +17 Million Point-of-Interest Database Choose Destination by Address, POI, or GPS Location On-Screen & Audible Text-to-Speech Commands Highway & Major Road Lane Departure Guidance



PHONELINK FOR ANDROID

ENABLED SMART DEVICE MIRRORS DISPLAY TO HEAD UNIT 2-WAY COMMUNICATION ENABLES MOBILE DEVICE CONTROL STAY CONNECTED WITHOUT HANDLING DISTRACTING DEVICES RETAINS USE OF SMART DEVICE'S VOICE RECOGNITION SERVICE CONNECTION REQUIRES ORIGINAL USB CHARGING CABLE 1A USB CHARGING MAINTAINS BATTERY LIFE (FRONT)















VR-65B

ISO 2-DIN DVD, CD/MP3, AM/FM RECEIVER W/ BLUETOOTH 4.0 CONNECTIVITY, & 6.2" TOUCHSCREEN LCD

GENERAL INFORMATION

DIGITAL MEDIA PLAYBACK

AUDIO/VIDEO IN'S & OUT'S

























300W 4CH Bluetooth

09:21 AM 23-10-2022

Setup

■)20 🛎

SOUNDSTREAM

USB



CIOFCUD

Disc

1 HOME

VR-64HBL

ISO 2-DIN DVD, CD/MP3, AM/FM RECEIVER W/ BLUETOOTH 4.0 CONNECTIVITY, & 6.2" TOUCHSCREEN LCD

GENERAL INFORMATION

HD 6.2" 1024x600 LCD w/ ADJUSTABLE BACKLIGHT 10-BAND 8DB BOOST/CUT EQUALIZER & PRESET EQS

DIGITAL MEDIA PLAYBACK

720P MP4 & WMV VIDEO PLAYBACK; MP3 & WMA AUDIO PLAYBACK

AUDIO/VIDEO IN'S & OUT'S





PHONELINK FOR ANDROID



12





















VR-7002 - 2-DIN DVD, CD/MP3, CAR STEREO w/ PHONELINK FOR ANDROID & 7" LCD

GENERAL INFORMATION ISO 2-DIN CHASSIS INSTALLS IN MOST VEHICLES





AUDIO/VIDEO IN'S & OUT'S



Enabled Smart Device Mirrors Display to Head Unit 2-way Communication Enables Mobile Device Control 1A USB CHARGING MAINTAINS BATTERY LIFE (FRONT)























VR-624B - 2-DIN DVD, CD/MP3, AM/FM RECEIVER W/ BLUETOOTH 4.0 CONNECTIVITY, & 6.2" LCD

GENERAL INFORMATION

MP3 & MP4 PLAYBACK FROM 64GB USB OR MICRO SD CARD ACCEPTS ANALOG OEM STEERING WHEEL CONTROLS
BACK-UP CAMERA RCA INPUT W/ +12V AUTO-ON TRIGGER

AUDIO/VIDEO IN'S & OUT'S

AUX AUDIO (3.5mm) Input for External Devices on Front Panel 6CH Preamp RCA Outputs; Front + Rear + Subwoofer

■)20 **=** 1 HOME Disc SD AUX 4 SOUNDSTREAM 300W 4ch Bluetooth

VR-620HB - 2-DIN DVD, CD/MP3, USB/SD AM/FM RECEIVER W/ BLUETOOTH CONNECTIVITY & 6.2" LCD

GENERAL INFORMATION

ISO 2-DIN Chassis Installs In Most Vehicles 800x480 Resolution WVGA 6.2" Lcd Display Clear Glass Resistive Anti-Glare Touchscreen

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel 6ch Preamp RCA Outputs; Front + Rear + Subwoofer RCA Video Output to Rear Seat Entertainment Systems

PhoneLink for Android

1A USB CHARGING MAINTAINS BATTERY LIFE (FRONT)























VR-651B

2-DIN DVD, CD/MP3, USB/SD, AM/FM RECEIVER W/ BLUETOOTH CONNECTIVITY & 7" LCD

GENERAL INFORMATION

DIGITAL MEDIA PLAYBACK

720P MP4 & WMV VIDEO PLAYBACK; MP3 & WMA AUDIO PLAYBACK

AUDIO/VIDEO IN'S & OUT'S

















Mark Ronson (ft. Bruno Mars)

CH.002

Γ¬ Pop

SiriusXM Hits 1

T Uptown Funk

Uptown Special



9

SOUNDSTREAM

CH







VR-75B - STANDARD FEATURES

4.0 Connectivity, & Motorized 7" Touchscreen LCD

GENERAL INFORMATION

DIGITAL MEDIA PLAYBACK

VIDEO & AUDIO PLAYBACK FROM 64GB USB OR FULL SIZE SD CARD 720P MP4 & WMV VIDEO PLAYBACK; MP3 & WMA AUDIO PLAYBACK

((SiriusXM))



14











SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE





AUDIO/VIDEO IN'S & OUT'S











11:27

CH.002

CH.011

CH.041

CH.314

CH.051

B Bluetooth

CH.340 111



CIOFCUD

Radio

Disc

Phone Link

12:06

VIR-7830B

1-DIN DVD, CD/MP3, USB/SD, AM/FM RECEIVER W/

GENERAL INFORMATION

HD 7" 800x480 LCD W/ ADJUSTABLE BACKLIGHT

DIGITAL MEDIA PLAYBACK



PHONELINK FOR ANDROID

















Radio

Bluetooth

AUDIO/VIDEO IN'S & OUT'S







*

((

#



-

1)

*

300W 4CH Bluetooth





^{AM} 10:35





VR-720B

GENERAL INFORMATION

7-Color RGB LED Illuminated Keys & Accents

DIGITAL MEDIA PLAYBACK

VIDEO & AUDIO PLAYBACK FROM 64GB USB OR MICRO/TF SD CARD 720P MP4 & WMV VIDEO PLAYBACK: MP3 & WMA AUDIO PLAYBACK

AUDIO/VIDEO IN'S & OUT'S




















Disc

SOUNDSTREAM







Digital Video Source Units

VM-7002

2-DIN MECHLESS 7"

GENERAL INFORMATION

2-DIN DIGITAL MULTIMEDIA SYSTEM W/7" LCD ISO 2-DIN CHASSIS, MOUNTING BRACKETS INCLUDED HD 7" 800X480 LCD W/ ADJUSTABLE BACKLIGHT MP3 & MP4 PLAYBACK FROM 64GB USB OR MICRO SD CARD CLEAR GLASS RESISTIVE ANTI-GLARE TOUCHSCREEN 7-COLOR RGB LED ILLUMINATED KEYS & ACCENTS BLUETOOTH 5.0 PHONE CALLING + A2DP AUDIO STREAMING BACK-UP CAMERA RCA INPUT W/ +12V AUTO-ON TRIGGER FRONT CAMERA RCA INPUT W/ ON-SCREEN TRIGGER 4-BAND 12DB BOOST/CUT EQUALIZER W/ PRESET

PHONELINK FOR ANDROID

ENABLED SMART DEVICE MIRRORS DISPLAY TO HEAD UNIT 2-WAY COMMUNICATION ENABLES MOBILE DEVICE CONTROL STAY CONNECTED WITHOUT HANDLING DISTRACTING DEVICES RETAINS USE OF SMART DEVICE'S VOICE RECOGNITION SERVICE CONNECTION REQUIRES ORIGINAL USB CHARGING CABLE 1A USB CHARGING MAINTAINS RATTERY LIFE (FRONT)





AUDIO/VIDEO IN'S & OUT'S

AUX AUDIO (3.5MM) INPUT FOR EXTERNAL DEVICES ON FRONT PANEL AUX A/V (3.5MM) INPUT FROM EXTERNAL SOURCES ON BACK PANEL 6CH PREAMP RCA OUTPUTS; FRONT + REAR + SUBWOOFER RCA VIDEO OUTPUTS TO REAR SEAT ENTERTAINMENT SYSTEMS A/CH 300W MAX CLASS A/R FUILL RANGE SPEAKER AMPLIETER RUILT-IN

















10:00



102.70 >





VM-700HB

2-DIN DIGITAL MEDIA RECEIVER W/ USB/SD PLAYBACK, ANDROID PHONELINK, & 7" LCD

GENERAL INFORMATION

2-DIN DIGITAL MULTIMEDIA SYSTEM W/7" LCD
ISO 2-DIN CHASSIS, MOUNTING BRACKETS INCLUDED
HD 7" 800X480 LCD W/ ADJUSTABLE BACKLIGHT
MP3 & MP4 PLAYBACK FROM 64GB USB OR MICRO SD CARE
CLEAR GLASS RESISTIVE ANTI-GLARE TOUCHSCREEN
BLUETOOTH 5.0 PHONE CALLING + A2DP AUDIO STREAMING
BACK-UP CAMERA RCA INPUT W/ +12V AUTO-ON TRIGGER
FRONT CAMERA RCA INPUT W/ ON-SCREEN TRIGGER

PHONELINK FOR ANDROID

ENABLED SMART DEVICE MIRRORS DISPLAY TO HEAD UNIT 2-WAY COMMUNICATION ENABLES MOBILE DEVICE CONTROL STAY CONNECTED WITHOUT HANDLING DISTRACTING DEVICES RETAINS USE OF SMART DEVICE'S VOICE RECOGNITION SERVICE CONNECTION REQUIRES ORIGINAL USB CHARGING CABLE 1A USB CHARGING MAINTAINS BATTERY LIFE (FRONT)



AUDIO/VIDEO IN'S & OUT'S

AUX AUDIO (3.5MM) INPUT FOR EXTERNAL DEVICES ON FRONT PANEL AUX A/V (3.5MM) INPUT FROM EXTERNAL SOURCES ON BACK PANEL 6CH PREAMP RCA OUTPUTS; FRONT + REAR + SUBWOOFER RCA VIDEO OUTPUTS TO REAR SEAT ENTERTAINMENT SYSTEMS 4CH 300W Max CLASS A/B FULL RANGE SPEAKER AMPLIFIER BUILT-IN























Digital Video Source Units

SOUNDSTREAM

VM-622HB

2-DIN DIGITAL MEDIA RECEIVER W/ USB/SD PLAYBACK, ANDROID PHONELINK, & 6.2" LCD

GENERAL INFORMATION

2-DIN MULTIMEDIA SYSTEM W / 6.2" LCD
ISO 2-DIN CHASSIS, MOUNTING BRACKETS INCLUDED
HD 6.2" 800X480 LCD W / ADJUSTABLE BACKLIGHT
SMARTSENSE CLEAR GLASS CAPACTIVE TOUCHSCREEN
BLUETOOTH 4.0 PHONE CALLING + A2DP AUDIO STREAMING
BACK-UP CAMERA RCA INPUT W / +12V AUTO-ON TRIGGER

DIGITAL MEDIA PLAYBACK

VIDEO & AUDIO PLAYBACK FROM 64GB USB OR MICRO/TF SD CARD 1080P MP4 & WMV VIDEO PLAYBACK; MP3 & WMA AUDIO PLAYBACK



PHONELINK FOR ANDROID

ENABLED SMART DEVICE MIRRORS DISPLAY TO HEAD UNIT 2-WAY COMMUNICATION ENABLES MOBILE DEVICE CONTROL STAY CONNECTED WITHOUT HANDLING DISTRACTING DEVICES RETAINS USE OF SMART DEVICE'S VOICE RECOGNITION SERVICE CONNECTION REQUIRES ORIGINAL USB CHARGING CABLE 1A USB CHARGING MAINTAINS BATTERY LIFE (FRONT)















AUDIO/VIDEO IN'S & OUT'S







SPHONE LINK

Bluetooth 300W 4CF

1/18 Radio -107.50





1-DIN DIGITAL MEDIA RECEIVER W/ USB/SD PLAYBACK, ANDROID PHONELINK, & 4.3" LCD

GENERAL INFORMATION

1-DIN DIGITAL VIDEO SOURCE UNIT W / 4,3" LCD ISO 1-DIN CHASSIS, MOUNTING SLEEVE INCLUDED HD 4,3" 800x480 LCD W / ADJUSTABLE BACKLIGHT 7-COLOR RGB LED ILLUMINATED KEYS & ACCENTS BLUETOOTH 4.0 PHONE CALLING + A2DP AUDIO STREAMING BACK-UP CAMERA RCA INPUT W / +12V AUTO-ON TRIGGER 4-BAND 8DB BOOST/CUT EQUALIZER & PRESET EQS



PHONELINK FOR ANDROID

ENABLED SMART DEVICE MIRRORS DISPLAY TO HEAD UNIT 2-WAY COMMUNICATION ENABLES MOBILE DEVICE CONTROL STAY CONNECTED WITHOUT HANDLING DISTRACTING DEVICES RETAINS USE OF SMART DEVICE'S VOICE RECOGNITION SERVICE CONNECTION REQUIRES ORIGINAL USB CHARGING CABLE 1A USB CHARGING MAINTAINS BATTERY LIFE (FRONT)







DIGITAL MEDIA PLAYBACK

VIDEO & AUDIO PLAYBACK FROM 64GB USB OR MICRO/TF SD CARD 1080P MP4 & WMV VIDEO PLAYBACK; MP3 & WMA AUDIO PLAYBACK

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel RCA A/V Input from External Sources on Back Panel 2CH Preamp RCA Outputs; Front Left & Front Right RCA Video Outputs to Rear Seat Entertainment Systems 4CH. 300W Max Class A/B Full Range Speaker Amplifier Built-in





















Digital Audio Source Units

VM-26BPW

1-DIN DIGITAL MEDIA RECEIVER W/ BUILT-IN PHONE CRADLE & WIRELESS CHARGING

GENERAL INFORMATION

1-DIN DIGITAL AUDIO SOURCE UNIT W/ PHONE CRADLE
ADJUSTABLE COMPRESSION CRADLE FITS MOST PHONES
ISO 1-DIN CHASSIS, MOUNTING SLEEVE INCLUDED
10W WIRELESS INDUCTION CHARGER BUILT-IN
7-COLOR RGB LED ILLUMINATED KEYS & ACCENTS
2A/5V USB CHARGING PORT ON FRONT PANEL
WORKS WITH SOUNDSTREAM COMMANDER APP
PUSH-TO-TALK ACTIVATES ARTIFICIAL INTELLIGENCE ASSISTANTS
BLUETOOTH 4.0 PHONE CALLING + A2DP AUDIO STREAMING
10-BAND 16DB BOOST/CUT EQUALIZER & PRESET EQS
STEERING WHEEL REMOTE CONTROL INPUT(S) INCLUDED

DIGITAL MEDIA PLAYBACK

INDEPENDENT USB PORT FOR DIGITAL AUDIO PLAYBACK
PLAYBACK OF FLAC, WMA, AAC & APE FORMATS SUPPORTED

AUDIO/VIDEO IN'S & OUT'S

2CH PREAMP RCA OUTPUTS; FRONT LEFT & RIGHT + SUBWOOFER 4CH. 300W MAX CLASS A/B FULL RANGE SPEAKER AMPLIFIER BUILT-IN

























VM-26BP

1-DIN DIGITAL MEDIA RECEIVER W/ BUILT-IN PHONE CRADLE

GENERAL INFORMATION

I-DIN DIGITAL AUDIO SOURCE ONIT WY PHONE CRADLE
ADJUSTABLE COMPRESSION CRADLE FITS MOST PHONES
ISO 1-DIN CHASSIS, MOUNTING SLEEVE INCLUDED
7-COLOR RGB LED ILLUMINATED KEYS & ACCENTS
2A/5V USB CHARGING PORT ON FRONT PANEL
WORKS WITH SOUNDSTREAM COMMANDER APP
PUSH-TO-TALK ACTIVATES ARTIFICIAL INTELLIGENCE ASSISTANTS
BLUETOOTH 4.0 PHONE CALLING + A2DP AUDIO STREAMING
10-BAND 16DB BOOST/CUT EQUALIZER & PRESET EQS
STEERING WHEEL REMOTE CONTROL INPUT(S) INCLUDED

DIGITAL MEDIA PLAYBACK

INDEPENDENT USB PORT FOR DIGITAL AUDIO PLAYBACK
PLAYBACK OF FLAC, WMA, AAC & APE FORMATS SUPPORTED

AUDIO/VIDEO IN'S & OUT'S

2CH PREAMP RCA OUTPUTS; FRONT LEFT & RIGHT + SUBWOOFER 4CH. 300W MAX CLASS A/B FULL RANGE SPEAKER AMPLIFIER BUILT-IN























Digital Audio Source Units

SOUNDSTREAM

VCD-22B - CD PLAYBACK VM-22B - DIGITAL AUDIO PLAYBACK 2-DIN DIGITAL AUDIO SOURCE UNIT W/ USB/SD. AM/FM RECEIVER, & BLUETOOTH CONNECTIVITY

GENERAL INFORMATION

DIGITAL MEDIA PLAYBACK

AUDIO PLAYBACK FROM CD & CDR DISCS (VCD-22B)
AUDIO PLAYBACK FROM 64GB USB OR MICRO/TF SD CARD MP3 & WMA AUDIO FILE TYPE PLAYBACK

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel AUX Audio RCA Input from External Sources on Back Panel (VCD-22B)















EQ 1 1 2 1 3

VCD-21B - CD PLAYBACK VM-21B - Digital Audio Playback

GENERAL INFORMATION

DIGITAL MEDIA PLAYBACK

AUDIO PLAYBACK FROM 64GB USB OR FULL SIZE SD CARD

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel AUX Audio RCA Input from External Sources on Back Panel (VCD-21B)











SOUNDSTREAM VCD-218 () Blueto



VM-20B

1-DIN MECHLESS FIXED PANEL, 2 USB, 2.1A FAST CHARGING

GENERAL INFORMATION

DIGITAL MEDIA PLAYBACK

AUDIO PLAYBACK FROM CD & CDR DISCS (VCD-21B)
AUDIO PLAYBACK FROM 64GB USB OR FULL SIZE SD CARD MP3 & WMA AUDIO FILE TYPE PLAYBACK

AUDIO/VIDEO IN'S & OUT'S







— 1 2 3 4 5 6







VCM-160DMH

CEILING MOUNT DVD ENTERTAINMENT SYSTEM W/ MOBILELINK SMARTPHONE MIRRORING & 16" LCD





GENERAL INFORMATION

INTERCHANGEABLE COLOR SKINS INCLUDED (BEIGE, BLACK, GREY)
CAR-SPEC DVD DRIVE FOR EXTREME TEMPERATURE EXPOSURE
7-COLOR RGB LED ILLUMINATED KEYS & ACCENTS
TRIGGERED BRIGHT WHITE LED DOME LIGHT
1920 X 1080 16:9 WIDESCREEN RESOLUTION
DIMENSIONS: 16.75"W X 13.25"D X 1.75"H

DIGITAL MEDIA PLAYBACK

VIDEO & AUDIO PLAYBACK FROM DVD, DVDR, CD, & CDR DISCS
VIDEO & AUDIO PLAYBACK FROM 64GB USB & FULL SIZE SD CARD
1080P MP4 & WMV VIDEO PLAYBACK; MP3 & WMA AUDIO PLAYBACK



MOBILELINK INTEGRATION

MOBILELINK MIRRORS THE IMAGE OF YOUR SMARTPHONE OR TABLET TO THE CEILING MONITOR VIA MHL HDMI INTERFACE CABLE

AUDIO/VIDEO IN'S & OUT'S

HDMI Input for High-Definition External Source Two Channel Wireless IR Transmitter (use VHP-12) 8-ch FM Stereo Transmitter for OEM Integration Built-in speakers for Whole Vehicle Listening RCA A/V Input for External Sources Display 3.5MM A/V Input for External Sources Display RCA A/V Output to Auxiliary Display Devices



















VCM-138H

CEILING MOUNT DVD ENTERTAINMENT SYSTEM W/
MOBILELINK SMARTPHONE MIRRORING & 13.8" LCD



GENERAL INFORMATION

Interchangeable Color Skins Included (Beige, Black, Grey) Car-Spec DVD Drive for Extreme Temperature Exposure 90°/180° Swivel Screen for Angled Viewing 7-Color RGB LED Illuminated Keys & Accents Triggered Bright White LED Dome Light 1920 x 1080 16:9 Widescreen Resolution Dimensions: 16.5"w x 13.25"d x 2.25"h

MOBILELINK INTEGRATION

MOBILELINK MIRRORS THE IMAGE OF YOUR SMARTPHONE OR TABLET TO THE CEILING MONITOR VIA MHL HDMI INTERFACE CABLE.

DIGITAL MEDIA PLAYBACK

VIDEO & AUDIO PLAYBACK FROM DVD, DVDR, CD, & CDR DISCS VIDEO & AUDIO PLAYBACK FROM 64GB USB & FULL SIZE SD 720P MP4 & WMV VIDEO OR MP3 & WMA AUDIO PLAYBACK

AUDIO/VIDEO IN'S & OUT'S

HDMI Input for High-Definition External Source
Two Channel Wireless IR Transmitter (use VHP-12)
8-ch FM Stereo Transmitter for OEM Integration
RCA & 3.5mm A/V Input for External Source Input
RCA A/V Output On-Board to Auxiliary Display Devices







GREY













VCM-103DMH

CEILING MOUNT DVD ENTERTAINMENT SYSTEM W/
MOBILELINK SMARTPHONE MIRRORING, &10.3" LCD

GENERAL INFORMATION

Interchangeable Color Skins Included (beige, black, grey) Car-Spec DVD Drive for Extreme Temperature Exposure Triggered Bright White LED Dome Light 1024 \times 600 16:9 Widescreen Resolution Dimensions: 13"w \times 11"d \times 2.5"h

DIGITAL MEDIA PLAYBACK

VIDEO & AUDIO PLAYBACK FROM DVD, DVDR, CD, & CDR DISCS VIDEO & AUDIO PLAYBACK FROM UP TO 64GB USB FLASH DRIVE USB CABLE FOR POWERED HIGH CAPACITY HARD DRIVE PLAYBACK 720P MP4 & WMV VIDEO OR MP3 & WMA AUDIO PLAYBACK

MOBILELINK INTEGRATION

MOBILELINK MIRRORS THE IMAGE OF YOUR SMARTPHONE OR TABLET TO THE CEILING MONITOR VIA HDMI INTERFACE CABLE.

AUDIO/VIDEO IN'S & OUT'S

HDMI INPUT FOR HIGH-DEFINITION EXTERNAL SOURCE
SINGLE CHANNEL WIRELESS IR TRANSMITTER (USE VHP-11)
185 CHANNEL FM STEREO TRANSMITTER FOR OEM INTEGRATION
RCA A/V INPUT ON SIDE PANEL FOR EXTERNAL SOURCE INPUT
RCA A/V OUTPUT ON-BOARD FOR AUXILIARY DISPLAY DEVICES


















soundstream



CEILING MOUNT DVD ENTERTAINMENT SYSTEM W/ 10.3" LCD

GENERAL INFORMATION

Interchangeable Color Skins Included (beige, black, grey) Car-Spec DVD Drive for Extreme Temperature Exposure Triggered Bright White LED Dome Light 1024 \times 600 16:9 Widescreen Resolution Dimensions: 16"w \times 7.5"d \times 2"h

DIGITAL MEDIA PLAYBACK

VIDEO & AUDIO PLAYBACK FROM DVD, DVDR, CD, & CDR DISCS VIDEO & AUDIO PLAYBACK FROM 64GB USB & FULL SIZE SD 720P MP4 & WMV VIDEO OR MP3 & WMA AUDIO PLAYBACK

AUDIO/VIDEO IN'S & OUT'S

SINGLE CHANNEL WIRELESS IR TRANSMITTER (USE VHP-11)
185 CHANNEL FM STEREO TRANSMITTER FOR OEM INTEGRATION
RCA A/V INPUT ON-BOARD FOR EXTERNAL SOURCE INPUT
RCA A/V OUTPUT ON-BOARD FOR AUXILIARY DISPLAY DEVICES




















S UNDSTREAM

VHD-90CC - w/9" LCD SCREEN
VHD-70CC - w/7" LCD SCREEN
HEADREST ENTERTAINMENT SYSTEM W/DVD PLAYER,
MOBILELINK SMARTPHONE MIRRORING, & LCD DISPLAY





POLYESTER FOAM HEADREST W/ LEATHERETTE FINISH 3 CHANGEABLE COLOR SKINS INCLUDED (GREY, BEIGE, BLACK) 3/8" DIA. LOCKING POLE W/ 7/16", 1/2", & 9/16" ADAPTERS 4.75" ~ 8.25" ON-CENTER POLE WIDTH ADJUSTMENT 800 x 480 16:9 WIDESCREEN RESOLUTION DIMENSIONS: 11.5"W x 7.75"H x 5"D (90CC) DIMENSIONS: 10"W x 7"H x 5.5"D (70CC)

DIGITAL MEDIA PLAYBACK

VIDEO & AUDIO PLAYBACK FROM DVD, DVDR, CD, & CDR DISCS VIDEO & AUDIO PLAYBACK FROM UP TO 64GB USB FLASH DRIVE 1080P MP4 & WMV VIDEO OR MP3 & WMA AUDIO PLAYBACK



MOBILELINK MIRRORS THE IMAGE OF YOUR SMARTPHONE OR TABLET TO THE HEADREST MONITOR VIA HDMI INTERFACE CABLE

AUDIO/VIDEO IN'S & OUT'S

185 CHANNEL FM STEREO TRANSMITTER FOR OEM INTEGRATION
DUAL CHANNEL WIRELESS IR TRANSMITTER (USE VHP-12)
RCA A/V INPUT FOR EXTERNAL SOURCE DISPLAY OR OPPOSITE HEADREST
RCA A/V OUTPUT TO AUXILIARY DISPLAY DEVICES OR SLAVE HEADREST
3.5MM AUX AUDIO OUTPUT FOR HARDWIRED HEADPHONES













VH-90CC - w/ 9" LCD SCREEN
VH-70CC - w/ 7" LCD SCREEN
HEADREST ENTERTAINMENT SYSTEM W/ LCD DISPLAY

GENERAL INFORMATION

POLYESTER FOAM HEADREST W/ LEATHERETTE FINISH 3 CHANGEABLE COLOR SKINS INCLUDED (GREY, BEIGE, BLACK) 3/8" DIA. LOCKING POLE W/ 7/16", 1/2", & 9/16" ADAPTERS 4.75" ~ 8.25" ON-CENTER POLE WIDTH ADJUSTMENT 800 x 480 16:9 WIDESCREEN RESOLUTION DIMENSIONS: 11.5"W x 7.75"H x 5"D (90CC) DIMENSIONS: 10"W x 7"H x 5.5"D (70CC)

AUDIO/VIDEO IN'S & OUT'S

Dual Channel Wireless IR Transmitter (use VHP-12) 2 RCA A/V Input for External Source or Master Headrest 3.5mm AUX Audio Output for Hardwired Headphones









SHAD-9H

Universal Headrest Bracket Mounted DVD Player w/ MOBILELINK SMARTPHONE MIRRORING, & 9" LCD

GENERAL INFORMATION

SIMPLE DIY BRACKET ATTACHES DIRECTLY TO HEADREST POLE ADJUSTABLE HEADREST BRACKET FOR OPTIMUM VIEWING ANGLE 3 FEAUX LEATHER COLOR SKINS INCLUDED (GREY, BEIGE, & BLACK) 9" HD QUALITY 800 X 480 HIGH RESOLUTION TFT-LCD DISPLAY REAR-LOADING DVD PLAYER FOR DVD & 480P VIDEO FILE PLAYBACK CIGARETTE LIGHTER ADAPTER POWER CABLE FOR EASY D.I.Y. WIRING Bracket Accepts Headrests w/ Dual Pole Distance 4.5"-7.25" Pole Diameter Adapters Included: 3/8" - 5/8"

MOBILELINK INTEGRATION

MOBILELINK MIRRORS THE IMAGE OF YOUR SMARTPHONE OR TABLET TO THE CEILING MONITOR VIA MHL HDMI INTERFACE CABLE.

AUDIO/VIDEO IN'S & OUT'S

HDMI INPUT FOR HIGH-DEFINITION EXTERNAL SOURCE DUAL CHANNEL WIRELESS IR TRANSMITTER (USE VHP-12) 8-CH FM STEREO TRANSMITTER FOR OEM INTEGRATION RCA A/V INPUT FOR EXTERNAL SOURCE INPUT 3.5MM A/V INPUT ON SIDE PANEL FOR EXTERNAL SOURCE INPUT RCA A/V OUTPUT FOR EXTERNAL DISPLAY DEVICES OR SLAVE 3.5MM A/V OUTPUT ON SIDE PANEL FOR EXTERNAL DISPLAY DEVICES 3.5MM AUX AUDIO OUTPUT FOR HARDWIRED HEADPHONE LISTENING

DIGITAL MEDIA PLAYBACK

VIDEO & AUDIO PLAYBACK FROM DVD, DVDR, CD, & CDR DISCS VIDEO & AUDIO PLAYBACK FROM 64GB USB OR FULL SIZE SD CARD 480P MP4 & WMV VIDEO PLAYBACK; MP3 & WMA AUDIO PLAYBACK













VDVD-165

1-DIN DVD PLAYER W/ 32GB USB PLAYBACK

GENERAL INFORMATION

1-DIN DVD PLAYER FOR REAR SEAT ENTERTAINMENT SYSTEMS ISO 1-DIN CHASSIS. MOUNTING SLEEVE & BRACKETS INCLUDED MOUNTING BRACKETS FOR OPTIONAL VERTICAL MOUNTING 10' REMOTE CONTROL RECEIVER EYE EXTENSION INCLUDED

DIGITAL MEDIA PLAYBACK

VIDEO & AUDIO PLAYBACK FROM DVD, DVDR, CD, & CDR DISCS VIDEO & AUDIO PLAYBACK FROM UP TO 64GB USB FLASH DRIVE 720P MP4 & WMV VIDEO PLAYBACK; MP3 & WMA AUDIO PLAYBACK

AUDIO/VIDEO IN's & OUT's

2CH PREAMP RCA OUTPUTS: FRONT LEFT & FRONT RIGHT RCA VIDEO OUTPUT TO REAR SEAT ENTERTAINMENT SYSTEMS





VHR-72IRA 7" Custom Install Headrest Monitor





VHP-11 - 1 CH. IR WIRELESS HEADPHONE VHP-12 - 2CH. IR WIRELESS HEADPHONE

ADJUSTABLE HEADPHONE STRAPS FOR COMFORT FIT EAR PADS FOLD FLAT FOR SEAT POCKET STORAGE EVA HARD CARRY CASE INCLUDED MP-3 PLAYER INPUT VIA 3.5MM JACK ON/OFF SWITCH SAVES BATTERY LIFE AUTO POWER OFF FUNCTION VARIABLE VOLUME CONTROL ALC AUTO LEVEL CONTROL









REAR-SEAT ENTERTAINMENT SYSTEMS WITH MOBILELINK OPEN FULL MIRRORING BETWEEN SMARTPHONES AND TABLETS. SAFELY SHARE YOUR OWN MOVIES, SOCIAL NET-WORKING CONTENT, INTERNET VIDEOS, OR ALL OTHER CONTENT ON YOUR MOBILE DEVICE WITH PASSENGERS. REQUIRES MHL HDMI INTERFACE CABLE, SOLD SEPARATE.



Soundstream rear-seat entertainment systems WITH DVD DRIVES PLAYBACK TRADITIONAL DVD MOVIES AS WELL AS MP4 AND XVID/DIVX VIDEO FILES FROM DVD-R DISCS. ALL REAR-SEAT ENTERTAINMENT SYSTEM DVD DRIVES ARE RATED CAR-SPEC FOR EXPOSURE TO EXTREME TEMPERATURES AND VIBRATION.



SELECT CEILING MOUNTED & SEAT HEADREST REAR-SEAT ENTERTAINMENT PRODUCTS INCLUDE A MULTI-CHANNEL LOW ENERGY FM RADIO TRANSMITTER. WITH IT, THE CAR'S RECEIVER CAN BE TUNED TO PICK-UP THE VIDEO'S AUDIO TRACK & PLAY THROUGHOUT THE CAR AUDIO SYSTEM.



ALL SOUNDSTREAM REAR-SEAT ENTERTAINMENT PROD-UCTS WITH DVD PLAYBACK INCLUDE RCA AUDIO & COM-VEHICLE, LIKE DRIVER AND PASSENGER HEADREST LCDs.



SELECT REAR-SEAT ENTERTAINMENT SYSTEMS INCLUDE AN HDMI INPUT. USE THIS HIGH-DEFINITION CONNEC-TIONS TO TRANSMIT AUDIO & VIDEO PLAYBACK FROM EX-TERNAL MULTIMEDIA SOURCES, LIKE GAMING CONSOLES OR HIGH-DEFINITION MEDIA PLAYERS, TO HEADREST OR CEILING-MOUNTED LCDs





SELECT SOUNDSTREAM REAR-SEAT ENTERTAINMENT SYS-TEMS FEATURE USB PORTS AND/OR SD MEMORY CARD SLOTS. PLAYBACK MP4 XVID/DIVX VIDEOS FROM A USB FLASH DRIVE OR SD CARD. PLAYBACK RESOLUTION COM-PABILITY & MAXIMUM CAPACITY LIMITAITONS WILL VARY FOR EACH PRODUCT.



Soundstream ceiling-mounted & seat headrest REAR-SEAT ENTERTAINMENT PRODUCTS HAVE INFRARED WIRELESS AUDIO TRANSMITTERS BUILT-IN. MATCH AVAIL-ABLE SINGLE OR DUAL CHANNEL WIRELESS HEADPHONES TO THE ENTERTAINMENT DEVICE FOR DISTRACTION-FREE



SELECT SOUNDSTREAM REAR-SEAT ENTERTAINMENT PROD-UCTS INCLUDE RCA AUDIO & COMPOSITE VIDEO INPUTS. USE THESE CONNECTIONS TO TRANSMIT AUDIO & VIDEO PLAY-BACK FROM EXTERNAL MULTIMEDIA SOURCES, LIKE GAMING CONSOLES. TO HEADREST OR CEILING-MOUNTED LCDs.

Tarantula TREME Amplifiers

To beat the competition & be the loudest on the streets, you have to think smarter, buy smarter, & build smarter. Helping you become **that guy**, Soundstream's proud to introduce **Tarantula Extreme** amplifiers. New to the Soundstream arsenal in 2020, these robust class D amplifiers produce massive power beyond your wildest dreams. Don't let their size fool you though, they pack a **HUGE** punch. Super efficient silicon steel core power supply transformers deliver high-current power on demand. While traditional toroidal transformers are compact & deliver clean, uncolored power for premium sound, silicon steel alloy core transformers pass far more current, more efficiently. What does this mean for you? More power to your subwoofers & speakers without needing a truck-load of batteries & industrial-size power wiring... **Mind blown!**



TARANTULA EXTREME	TXP2.6500D	TXP4.3500D	TXP1.3500D	TXP1.6000D	TXP1.12000D	TXP1.18000D
MAX Power	6,500w	3,500w	3,500w	6,000w	12,000w	18,000w
RMS Power 4Ω	400 x 2	140 x 4	450 x 4	700 x 1	1,300 x 1	1,800 x 1
RMS Power 2Ω	700 x 2	235 x 4	800 x 4	1,200 x 1	2,300 x 1	3,600 x 1
RMS Power 1Ω	1,250 x 2	375 x 4	1,250 x 1	2,300 x 1	4,300 x 1	7,000 x 1
RMS Power 4Ω Bridged	2,500 x 1 (2 Ω)	700 x 2 (2 Ω)	-	-	-	-
Remote Gain Control	Included	-	Included	Included	Included	Included
Dimensions (8.25"w x 2.75"h)	5.75"	7.25"	4.25"	5.75"	7.25"	10.50"

BASS XTREME Amplifiers

FOR THOSE WHO WANT THE MOST OUT THEIR CAR AUDIO SYSTEM, QUALITY SOUND PROCESSING IS A MUST. AFTER SOME SLIGHT ADJUSTMENTS, YOUR SYSTEM CAN SOUND LIKE IT HAS BEEN TUNED BY AUDIO PROFESSIONALS. BASS XTREME AMPLIFIERS OFFER SIMILAR SOUND PROCESSING OPTIONS BY INCLUDING THE FUNCTIONS OF A BASS EQUALIZER. COMMONLY ADDED IN-LINE BEFORE SUBWOOFER AMPLIFIERS, BASS EQUALIZERS BOOST LOWER FREQUENCY HARMONICS THAT HAVE BEEN COMPRESSED OR REMOVED FROM TODAY'S MUSIC RECORDINGS. DIAL-IN THE EXACT SOUND YOU WANT BY TUNING THE FREQUENCY TO BOOST, THEN, INCREASE THE BANDWIDTH RANGE FROM THAT FREQUENCY TO BOOST THE HARMONICS AROUND IT. UNLOCK THE BEST BASS FROM ANY SYSTEM WITH BASS XTREME AMPLIFIERS.



DIGITAL BASS RECONSTRUCTION PROCESSOR BUILT-IN
ADDS IMPACT TO MUSIC W/ INSUFFICIENT SUB BASS
27HZ-63HZ VARIABLE CENTER/SWEEP FREQUENCY
VARIABLE Q/WIDTH TO BROADEN OR NARROW THE BANDWIDTH
2.5V-10V OUTPUT VOLTAGE FOR OPTIMUM BASS TUNING
LED MAX BASS INDICATORS WARNING OF EXTREME LEVELS
1-OHM MINIMUM IMPEDANCE MONOBLOCK OPERATION
BRIDGE 2 MONOBLOCKS TOGETHER FOR DOUBLE POWER!

MOSFET POWER SUPPLY W/ AUDIOPHILE GRADE IRTM TRANSISTORS MILITARY GRADE SMT PCB MAINTAINS DYNAMIC PERFORMANCE DIRECT SHORT, THERMAL, & OVERLOAD CIRCUITS PROTECT AMPLIFIER 200MV-6V HIGH LEVEL OR LOW LEVEL RCA INPUT & OUTPUT VARIABLE 12DB LOW PASS CROSSOVER BLOCKS HIGH FREQUENCIES VARIABLE 12DB SUBSONIC CROSSOVER PROTECTS SUBWOOFER 180° PHASE SHIFT TO MATCH POLARITY OF SYSTEM SPEAKERS DASH MOUNT GAIN CONTROL MODULE INCLUDED

BASS XTREME	BXT2.1200	BXT4.2000	BXT1.5000D	BXT1.7500D	BXT1.10000D
Max Power	1,200w	2,000w	5,000w	7,500w	10,000w
RMS Power 4Ω	120 x 2	110 x 4	700 x 1	1,000 x 1	1,400 x 1
RMS Power 2Ω	185 x 2	175 x 4	1,100 x 1	1,500 x 1	2,100 x 1
RMS Power 1Ω	370 x 1	350 x 2	1,600 x 1	2,500 1	3,300 x 1
Remote Gain Control	-		Included	Included	Included
Dimensions: (7.50"w x 2.25"h)	11.50"	14.50"	13.50"	15.75"	19.25"

Rubicon NANO Amplifiers

Rubicon Nano amplifiers adopt the optimum class D performance, reliability, and footprint of the Picasso Nano platform. At first glance, you'll notice several key improvements. Rubicon Nano's signal inputs, power/ground, and speaker connections are all re-located to the leading edge of the chassis, for an easier, more appealing install. All pre-amp & crossover options are conveniently located on the top surface, making adjustment after installation possible. What you might not notice are additions to the circuit board, including increased power supply & output stage components, & monoblock bridging capability. Available Rubicon Nano models include a 4ch, 5ch, & class D monoblocks up to 2,500 watts.



HIGH EFFICIENCY CLASS D FOLL RANGE & MIDNOBLOCK AMPLIFIERS
HYBRID ALUMINUM ALLOY HEATSINK FOR OPTIMUM DISSIPATION
2-OHM STEREO & 4-OHM BRIDGED CLASS D FULL RANGE
1-OHM MINIMUM IMPEDANCE MONOBLOCK OPERATION
MONOBLOCK BRIDGING CAPABILITY FOR DOUBLE AMPLIFIER APPLICATION
MOSFET POWER SUPPLY W/ AUDIOPHILE GRADE IRTM TRANSISTORS
MILITARY GRADE SMT PCB MAINTAINS DYNAMIC PERFORMANCE
DIRECT SHORT, THERMAL, & OVERLOAD CIRCUITS PROTECT AMPLIFIER
200MV-6V LOW LEVEL RCA OR HIGH LEVEL SIGNAL INPUT
QUICK DISCONNECT HIGH LEVEL WIRE HARNESS INCLUDED
EASY DIY INSTALL SINGLE SIDED TERMINALS & CONTROLS
4G POWER INPUT TERMINALS & 12G SPEAKER OUTPUT TERMINALS
VARIABLE 12DB HIGH PASS, LOW PASS, & SUBSONIC CROSSOVERS
12DB BASS BOOST INCREASES LOW OCTAVE HARMONICS
DASH MOUNT GAIN CONTROL MODULE INCLUDED (MONOBLOCKS)



Rubicon Nano	RN4.1400D	RN5.2000D	RN1.3000D	RN1.5000D
Max Power	1,400w	2,000w	3,000w	5,000w
RMS Power 4 Ω	125 x 4	75 x 4 + 300 x 1	600 x 1	1,000 x 1
RMS Power 2Ω	175 x 4	125 x 4 + 500 x 1	900 x 1	1,500 x 1
RMS Power 4 Ω Bridged	350 x 2	250 x 2 + 500 x 1 (2Ω)	1,500 x 1 (1Ω)	2,500 x 1 (1 Ω)
Remote Gain Control		Included	Included	Included
Dimensions: (6.50" w x 1.50"h)	9.00"	11.75"	10.25"	13.75"

STEALTH Amplifiers

DON'T LET THESE LITTLE MONSTERS FOOL YOU. THE LATEST AND GREATEST OF CLASS D FULL RANGE TECHNOLOGY ALLOWS US TO PACK 10 LBS OF KICK YOUR ASS IN A 2-LB CHASSIS. ONCE REGARDED AS "DIRTY POWER", CLASS D'S STABLE PERFORMANCE, THANKS TO HIGH POWER CAPABILITY, MAXIMUM EFFICIENCIES, AND LOW TOLERANCE COMPONENTS, RIVALS TRADITIONAL FULL RANGE APPLICATIONS. MINIMAL POWER REQUIREMENTS, ULTRA MICRO FOOTPRINT, UNBELIEVABLE SOUND QUALITY, AND EASY INSTALL MAKE STEALTH AMPLIFIERS GREAT FOR ANY CAR, MOTORCYCLE, BOAT, OR OFF-ROAD VEHICLE. STEALTH SERIES AMPLIFIERS INCLUDE A 500W 4CH MODEL WITH BUILT-IN BLUETOOTH 4.0. SEAMLESSLY CONNECT YOUR CELL PHONE OR OTHER ENABLED SMART DEVICE FOR CONTINUOUS AUDIO PLAYBACK AT YOUR FINGERTIPS. A GREAT ADDITION TO OFF-ROAD VEHICLES, MOTORCYCLES, OR PERSONAL WATERCRAFT MISSING A SOURCE UNIT.



Stealth Amplifiers	ST2.1000D	ST3.1000D	ST4.1000D	ST4.1000DB	ST4.1200D	ST5.1300D	ST1.1000D
MAX Power	1,000w	1,000w	1,000w	1,000w	1,200w	1,300w	1,000w
RMS Power 4Ω	140 x 2	65 x 2 + 1 x 200	90 x 4	90 x 4	100 x 4	60x4 + 220x1	350 x 1
RMS Power 2Ω	250 x 2	100 x 2 + 1 x 300	125 x 4	125 x 4	150 x 4	90x4 + 300x1	500 x 1
RMS Power 4Ω Bridged	500 x 1	200 x 1 + 1 x 300	250 x 2	250 x 2	300 x 2	180x2 + 300x1	-
Remote Gain Control	Included	Included	-	-		Included	Included
Dimensions (3"w x 1.5"h)	6.50"	7.75"	6.50''	7.75"	7.75''	7.75''	7.75''

HIGH EFFICIENCY CLASS D FULL RANGE & MONOBLOCK AMPLIFIERS
HYBRID ALUMINUM ALLOY HEATSINK FOR OPTIMUM DISSIPATION
2-OHM STEREO & 4-OHM BRIDGED FULL RANGE OPERATION
2-OHM MINIMUM IMPEDANCE MONOBLOCK OPERATION
BUILT-IN BLUETOOTH V4.0 FOR WIRELESS MOBILE DEVICE PLAYBACK*
MOSFET POWER SUPPLY W/ AUDIOPHILE GRADE IRTM TRANSISTORS
MILITARY GRADE SMT PCB MAINTAINS DYNAMIC PERFORMANCE

DIRECT SHORT, THERMAL, & OVERLOAD CIRCUITS PROTECT AMPLIFIER 200MV-12V HIGH LEVEL OR LOW LEVEL RCA INPUT QUICK DISCONNECT RCA/HIGH LEVEL WIRE HARNESS QUICK DISCONNECT POWER AND SPEAKER OUTPUT HARNESS VARIABLE 12DB HIGH PASS, LOW PASS, & SUBSONIC CROSSOVERS 12DB BASS BOOST INCREASES LOW OCTAVE HARMONICS (ST1) DASH MOUNT GAIN CONTROL MODULE INCLUDED (ST1)

AS IF HARNESSING POWER INTO THE ORIGINAL STEALTH AMPS WASN'T ENOUGH, STEALTH SHOT AMPS TAKE THE MINI AMP GAME TO THE NEXT LEVEL. USING THE LATEST IN INTEGRATED CIRCUIT CLASS D FULL RANGE AMPLIFIER TECHNOLOGY, NEVER BEFORE HAS THIS LEVEL OF AWESOMENESS BEEN PACKED INTO AN EVEN SMALLER 3" X 3" CHASSIS.

THE LINE-UP INCLUDES A QUAD SHOT 4 CHANNEL, DOUBLE SHOT 2 CHANNEL, AND A SINGLE SHOT MONOBLOCK. EACH CONFIGURATION HAS SUFFICIENT PRE-AMP CROSSOVERS FOR ANY SYSTEM, ACCEPTING HIGH LEVEL OR LOW LEVEL AUDIO SIGNAL. FOR APPLICATIONS WITHOUT A SOURCE UNIT, CONSIDER LINKING THESE POCKET SIZED SHOOTERS TO THE BLUETOOOTH ENABLED STEALTH 4-CHANNEL. NO MATTER YOUR POISON, THESE SHOTS DO THE TRICK.

SHOT AMPLIFIERS	ST2.500D	ST4.500D	ST1.500D
MAX Power	500w	500w	500w
RMS Power 4Ω	75 x 2	45 x 4	150 x 1
RMS Power 2Ω	125 x 2	65 x 4	250 x 1
RMS Power 4Ω Bridged	250 x 1	125 x 2	-
Remote Gain Control	-	-	-
Dimensions (3"w x 1.5"h)	3.75''	3.75"	3.75"



Picassonano Amplifiers

CARS COME IN ALL DIFFERENT SHAPES, MOST IN THE SAME SIZE; COMPACT. SO, WE'VE ENGINEERED THESE MINI PICASSO'S TO FIT IN VIRTUALLY ANY LOCATION IN YOUR RIDE. OTHER SPORT COMPACT AMPLIFIERS USE BIZARRE TECHNOLOGIES WITH PSEUDO POWER SUPPLIES. PICASSO NANO'S USE TRIED AND TESTED MOSFET POWER SUPPLIES & TENACIOUS CLASS D CIRCUITRY.



PICASSO NANO	PN2.350D	PN4.520D	PN4.1000D	PN5.640D	PN1.650D	PN1.1000D
MAX Power	700w	1,040w	2,000w	1,280w	1,300w	2,000w
RMS Power 4Ω	115 x 2	100 x 4	140 x 4	60 x 4 + 200 x 1	400 x 1	350 x 1
RMS Power 2Ω	175 x 2	130 x 4	250 x 4	80 x 4 + 350x 1	650 x 1	600 x 1
RMS Power 4Ω Bridged	350 x 1	260 x 2	500 x 2	160 x 2 + 350 x 1	-	1,000 x 1 (1Ω)
Remote Gain Control	-	-	-	Included	Included	Included
Dimensions (4.75"w x 1.5"h)	5.50"	9.25"	10.25"	10.25"	9.25"	10.25"

ARACHNID AMPLIFIERS ARE THE NEXT STEP IN PERFORMANCE AND VALUE. TAKING ADVANTAGE OF OUR TRIED AND TRUE CLASS A/B FULL RANGE AND IMPROVED EFFICIENT CLASS-D MONOBLOCK AVAILABLE PLATFORMS. ARACHNID SERIES CONTINUES DOWN THE ROAD OF RELIABILITY AND LONGEVITY YOU EXPECT FROM US. BOOSTING A SMALL ELECTRICAL AUDIO SIGNAL TO A MUCH HIGHER VOLTAGE CAPABLE OF DRIVING SPEAKERS AND SUBWOOFERS. MOST VEHICLE'S STANDARD SYSTEMS CAN'T OFFER THIS HIGH-POWER OUTPUT THAT PUSHES YOUR AUDIO SYSTEM TO HIGH VOLUMES AND PRECISION LIKE THE ARACHNID SERIES AMPLIFIERS CAN.



CLASS A/B FULL RANGE & CLASS D MONOBLOCK AMPLIFIERS
HYBRID ALUMINUM ALLOY HEATSINK FOR OPTIMUM DISSIPATION
2-OHM STEREO & 4-OHM BRIDGED CLASS A/B FULL RANGE
1-OHM MINIMUM IMPEDANCE CLASS D MONOBLOCK OPERATION
MOSFET POWER SUPPLY W/ AUDIOPHILE GRADE IRTM TRANSISTORS
MILITARY GRADE SMT PCB MAINTAINS DYNAMIC PERFORMANCE

DIRECT SHORT, THERMAL, & OVERLOAD CIRCUITS PROTECT AMPLIFIER 200MV-6V LOW LEVEL/RCA INPUT W/ BRIDGED OPERATION OUTPUTS BARRIER STRIP WIRE TERMINALS, 4G POWER & 8G SPEAKER OUTPUTS VARIABLE 12DB HIGH PASS, LOW PASS, & SUBSONIC CROSSOVERS 12DB BASS BOOST INCREASES LOW OCTAVE HARMONICS DASH MOUNT GAIN CONTROL MODULE INCLUDED (MONOBLOCKS)

	A					
ARACHNID	AR2.1000D	AR4.1800D	AR1.3000D	AR1.5000D	AR1.7500D	AR1.10000D
MAX Power	1,000w	1,800w	3,000w	5,000w	7,500w	10,000w
RMS Power 4Ω	90 x 2	90 x 4	350 x 1	500 x 1	750 x 1	1,000 x 1
RMS Power 2Ω	150 x 2	150 x 4	600 x 1	900 x 1	1,300 x 1	1,800 x 1
RMS Power $1\Omega/4\Omega$ Bridged	300 x 1	300 x 2	1,000x 1 (1Ω)	1,500 x 1 (1 Ω)	2,300 x 1 (1 Ω)	3,000w x 1 (1Ω)
Remote Gain Control	-	-	Included	Included	Included	Included
Dimensions (8.75"w x 2.25"h)	7.50"	12.25"	12.25"	13.50"	14.25"	17.50"

Bass Processors

BX-23Q

Digital Bass Reconstruction Processor w/ 3-Band Bass Equalizer & LED Lighting

DIGITAL RECONSTRUCTION PROCESSOR ADDS IMPACT TO MUSIC W/ INSUFFICIENT LOWER OCTAVE LEVELS

3-Band Bass Equalizer Enhances Dynamic Control of Subwoofer Response; 50Hz, 125Hz, 315Hz

DASH MOUNT REMOTE CONTROL W/ SUBWOOFER LEVEL CONTROL & VARIABLE 35Hz-80Hz SUBSONIC CROSSOVER

Variable 27Hz-63Hz Frequency Sweep & Variable Center Frequency Q/Width

13V MAX 2-CH./STEREO LOW LEVEL RCA OUTPUT & 2-CH./STEREO LOW-LEVEL RCA INPUT

AUTOMATIC COLOR CHANGING OR SELECTABLE SINGLE COLOR LED ILLUMINATED SPIDER LOGO

BX-20Z

DIGITAL BASS RECONSTRUCTION PROCESSOR

MAX BASS CONTROL
DASH MOUNT REMOTE CONTROL
PFM SUBSONIC FILTER & BASS LEVEL CONTROL
ILLUMINATED LOGO AND KNOBS
CHROME LOGO PLATE
BASS RESTORATION LIGHTED DISPLAY
PARAMETRIC BASS CONTROL
PFM SUBSONIC FILTER
BALANCED INPUTS
BASS OUTPUT CONTROL
PWM HIGH HEAD ROOM POWER SUPPLY
OUTPUT LEVEL: 13.5 VOLT
FREQUENCY RESPONSE: 10HZ 100KHZ
THD: 0.002%
S/N RATIO: 132DB
BALANCED INPUT NOISE REJECTION: 60DB

BX-15

DIGITAL BASS RECONSTRUCTION PROCESSOR

MAX BASS CONTROL
PWM HIGH HEAD ROOM POWER SUPPLY
BALANCED INPUT NOISE REJECTION: 60 DB
FREQUENCY RESPONSE: 10HZ 100KHZ
DASH MOUNT REMOTE CONTROL
PFM SUBSONIC FILTER & BASS LEVEL CONTROL
ILLUMINATED LOGO AND KNOBS
BRUSHED ALUMINUM CASE & HANDLES
BASS RESTORATION LIGHTED DISPLAY
PARAMETRIC BASS CONTROL
PFM SUBSONIC FILTER
BALANCED INPUTS
BASS OUTPUT CONTROL
OUTPUT LEVEL: 13.5 VOLT
THD: 0.002%
S/N PATIO: 132DR



Bass Processors

BX-12 (BLACK) **BX-12W** (WHITE)

DIGITAL BASS RECONSTRUCTION PROCESSOR

MAX BASS CONTROL
PWM HIGH HEAD ROOM POWER SUPPLY
FREQUENCY RESPONSE: 10HZ 100KHZ
DASH MOUNT REMOTE CONTROL
BASS RESTORATION LIGHTED DISPLAY
PARAMETRIC BASS CONTROL
PFM SUBSONIC FILTER
BALANCED INPUTS
BASS OUTPUT CONTROL
OUTPUT LEVEL: 13.5 VOLT
THD: 0.003%



BX-10X

BX-10 (BLACK) **BX-10W** (WHITE)

DIGITAL BASS RECONSTRUCTION PROCESSOR

MAX BASS CONTROL
PWM HIGH HEAD ROOM POWER SUPPL
FREQUENCY RESPONSE: 10HZ 100KHZ
DASH MOUNT REMOTE CONTROL
BASS RESTORATION LIGHTED DISPLAY
PARAMETRIC BASS CONTROL
PFM SUBSONIC FILTER
BALANCED INPUTS
BASS OUTPUT CONTROL
OUTPUT LEVEL: 13.5 VOLT
THD: 0.003%
S/N RATIO: 130DB



PROX4.1

4-WAY ELECTRONIC CROSSOVER OPTIMIZED FOR EXTREME SPL APPLICATIONS

SIGNAL INPUT/OUTPUT OPTIONS:

2CH. RCA FRONT/FULL RANGE STEREO OR OPTIONAL MIXED MONO INPUT OPTIONAL 180° PHASE INVERSION SWITCH FOR FRONT/FULL RANGE INPUT OPTIONAL 2CH. RCA OR FRONT/FULL RANGE INPUT FOR LOW/SUBWOOFER INPUT 2CH. RCA FULL RANGE OUTPUT W/ MUTE SWITCH & VARIABLE 9V LINE DRIVER 2CH. RCA OUTPUT FOR LOW/SUB, MID-LOW, MID-HIGH, & HIGH/TWEETER VARIABLE 9V MAX OUTPUT LINE DRIVER FOR ALL LOW, MID, & SUB CHANNELS DEDICATED MOMENTARY MUTE SWITCH FOR ALL LOW, MID, & SUB CHANNELS

HIGH/TWEETER SIGNAL PROCESSING OPTIONS:

MID-HIGH SIGNAL PROCESSING OPTIONS:
VARIABLE 120B 550H7-3KH7 HIGH-PASS & 4KH7-20KH7 LOW-PASS CROSSOVE

MID-LOW SIGNAL PROCESSING OPTIONS: VARIABLE 12DB 50HZ-400HZ HIGH-PASS & 30HZ-5KHZ LOW-PASS CROSSOVER

Low/Subwoofer Signal Processing Options: Optional 3-stage 24DB Subsonic Filter Variable 50Hz-350Hz 12DB Low-Pass Crossovef Dedicated 180° Phase Inversion Switch Variable 0-12DB 45Hz Bass Boost



EQualizers



MPQ-5V

5 BAND EQ WITH VOLTAGE LEVEL INDICATOR

EQUALIZATION RANGE:+/- 12 DB FREQUENCY RESPONSE: 10 Hz-50K Hz +/-1 DB MAXIMUM OUTPUT VOLTAGE: 8.5V-9V THD: 0.05% INPUT SENSITIVITY: 3V GAIN RANGE: 20 DB CHANNEL SEPERATION DEGREE: 82 DB/1K Hz INPUT IMPEDANCE: 20K OHMS



MPQ-90

1/2 DIN 9-BAND GRAPHIC EQ W/ SUBWOOFER LEVEL CONTRO

30V BIPOLAR SWITCHING POWER SUPPLY
20DB HEADROOM ELIMINATED SIGNAL OVERLOAD
SELECTABLE STEREO RCA INPUTS, MAIN OR AUX
FRONT, REAR, & SUBWOOFER RCA OUTPUTS
MASTER VOLUME/LEVEL CONTROL
INDEPENDENT SUBWOOFER LEVEL CONTROL
INDEPENDENT FADE CONTROL
VARIABLE 60HZ-90HZ SUBWOOFER LOW PASS CROSSOVER
NINE FREQUENCY BANDS WITH 18DB BOOST/CUT:
50HZ, 120HZ, 250HZ, 500HZ, 1KHZ, 2KHZ, 4KHZ, 8KHZ, 16KHZ
BLUE BACKLIT CONTROL KNOBS
S/N RATIO: 115DB
THD: 0.05%
STEREO SEPARATION: 82DB
FREQUENCY RESPONSE: 10HZ-15KHZ
MAX OUTPUT VOLTAGE: 8V

MPQ-7B

1/2 DIN 7-BAND GRAPHIC EQ W/ SUBWOOFER LEVEL CONTROL

30V BIPOLAR SWITCHING POWER SUPPLY
20DB HEADROOM ELIMINATED SIGNAL OVERLOAD
2 SELECTABLE BALANCED RCA INPUTS W/ INPUT GAIN
FRONT, REAR, & SUBWOOFER RCA OUTPUTS
SEVEN FREQUENCY BANDS WITH +/- 18DB BOOST/CUT
40HZ, 100HZ, 275HZ, 700HZ, 2KHZ, 5KHZ, 14KHZ
INDEPENDENT SUBWOOFER LEVEL CONTROL
SELECTABLE LOW-PASS FILTER: 32HZ, 64HZ, 125HZ
INPUT SELECTOR SWITCH
FADE CONTROL
BLUE BACKLIT CONTROL KNOBS
S/N RATIO: 115DB
THD: 0.05%
STEREO SEPARATION: 82DB
FREQUENCY RESPONSE: 10HZ-15KHZ
MAX OUTPUT VOI TAGE: 8V

MPQ-7XO

1/2 DIN Dual Channel Multi-Band Graphic EQ

20DB HEADROOM SWITCHING POWER SUPPLY
BUILT-IN LOW NOISE BI-FET OP-AMPS
2 SELECTABLE BALANCED RCA INPUTS W/ INPUT GAIN
FRONT, REAR, & SUBWOOFER RCA OUTPUTS
FOUR 18DB FRONT BANDS 125HZ; 500HZ; 3.5KHZ; 12KHZ
THREE 18DB REAR BANDS 50HZ; 600HZ; 6.3KHZ
VARIABLE 18DB BASS BOOST; 20-70HZ
INDEPENDENT SUBWOOFER LEVEL CONTROL
SELECTABLE SUBSONIC FILTER; 32HZ; 64HZ; 125HZ
FADE CONTROL
BLUE BACKLIT CONTROL KNOBS
FREQUENCY RESPONSE: 10-100KHZ
OUTPUT SIGNAL VOLTAGE UP TO 8V
THD: .05%
SIGNAL-TO-NOISE RATIO: 115DB
7"WX 4 25"D X 1125"H



Accessories

SA-26 GRAPHICAL SPECTRUM ANALYZER

TWO WIRE EASY HOOK UP BUILT IN MICROPHONE PLAYS TO SOUND/MUSIC MULTIPLE DESIGN SETTINGS MULTIPLE COLOR OPTIONS VERTICAL OR HORIZONTAL







COMPLETE D.I.Y. INSTALLATION KITS

WK-00X

OG Installation Kit w/ 200A ANL Fuse

WK-40X

4G Installation Kit w/ 100A MANL Fuse

WK-80X

8G Installation Kit w/ 60A MANL Fuse

ALL STANDARD KITS INCLUDE:

17FT POWER WIRE 3FT GROUND WIRE 25FT SPEAKER WIRE 17FT TWISTED PAIR RCA INTERCONNEC 17FT REMOTE TURN-ON WIRE MANL OR ANL FUSE HOLDER W/ FUSE



Power Capacitors



SCX-1.5

1.5 Farad Power Capacitor

12-16 DC INPUT VOLTAGE
RED LED VOLTAGE METER
BOLT POST FOR RING TERMINAL



12-16 DC Input Voltage Blue LED Voltage Display Chrome Plated Chassis Bolt Post for Ring Terminal

X5 Subwoofer

Soundstream overheard, and we listened. "Design a subwoofer for SPL!" The Limited Production X5 Series Subwoofers were designed for bass heads by bass heads. These monstrous subwoofers have attractive specifications like; 4" Dual Ω Voice Coils, numerous vent areas for heat dissipation, beefy triple-stack magnet assembly, and much more.

X5.12 AND X5.15 WERE CRAFTED TO HELP TEAM SOUNDSTREAM MOVE IN THE DIRECTION OF PAST STANDARD PRODUCTION SUBWOOFERS. THESE WILL PAIR NICELY WITH THE NEWEST AMPLIFIER ARSENAL "TARANTULA XP" HIGH OUTPUT AMPLIFIERS. BOTH SUBWOOFERS HANDLE UP TO 3,500W RMS, THIS IS SURE TO SET OFF SOME ALARMS!



Soundstream overheard, and we listened. "Design a subwoofer for SPL!" The Limited Production X5 Series Subwoofer was designed for bass heads by bass heads. These monstrous subwoofers have exceptional specifications; 4" Dual Ω Voice Coils, numerous large vents for fast heat dissipation, beefy triple-stacked magnet assembly, and 8ga Duplex direct wire hookups.

X5.12 AND X5.15 WERE CRAFTED TO HELP TEAM SOUNDSTREAM MOVE IN THE DIRECTION PAST STANDARD PRODUCTION SUBWOOFERS. THESE PAIR NICELY WITH THE NEWEST SOUNDSTREAM AMPLIFIER ARSENAL, THE "TARANTULA XP" HIGH OUTPUT SERIES. BOTH SUBWOOFERS CAN HANDLE UP TO 3,500W RMS... WHICH IS SURE TO SET OFF SOME ALARMS!

Note: If you are wiring this DVC sub for lower impedance, make sure that your amp is compatible. $\frac{1}{2}$ Ohm is wild...

X5 TEAM SUBWOOFERS	X5.15	X5.12
MAX Power (watts)	7,500w	7,500w
RMS Power (watts)	3,500w	3,500w
Efficiency (1w/1m)	88.3dB	88.41dB
Voice Coil Configuration	4" DVC 4Ω	
Mounting Depth	9.5"	8.5"
Optimum Sealed ft ³	4.5ft³	3.5ft ³



Tarantula Subwoofer

In recent years, Tarantula subwoofers have evolved to meet various performance and placement goals, keeping your, the Soundstream fanatic, suggestions in mind. However, more often than not, we hear your calls to bring back a legend. For this next generation, we made a few changes and several improvements.

Improvements include direct connect wire leads, over saturated 12mm top plate and t-yoke, & double-stitched cone to high density polyether foam surround for improved sound quality. Key components that you expect from T5 still remain; big ass 1,000w 3" voice coil, tripple-stack magnet structure, high density Spruce pulp sub-cone, and the iconic black-on-black Soundstream spider.



OVERCOMPENSATING MOTOR STRUCTURE FOR INCREASED MAGNETIC STRENGTH

12MM T-YOKE & TOP PLATE IMPROVE LOW FREQUENCY DYNAMICS

VENTED T-YOKE & FRAME REDUCES VOICE COIL HEAT BUILD-UP

NON-MAGNETIC NON-RESONATE DIE-CAST ALUMINUM FRAME

3" 4-LAYER VOICE COIL W/ DIRECT CONNECT WIRE INCREASES POWER HANDLING

HIGH-TEMPERATURE TOLERANCE ADHESIVES RESIST THERMAL FAILURE

NON-TRANSFER SPRUCE PULP CONE W/ UV & CHEMICAL PROTECTION

STITCHED AND GLUED SURROUND/CONE JOINTS FOR STRONGEST BONDING

EXTENDED EXCURSION POLYETHER FOAM SURROUND W/ UV & CHEMICAL PROTECTION

DUAL POLY-COTTON SUSPENSION DAMPEN VIOLENT ACCELERATIONS

1-PC GASKET/TRIM RING W/ CONCEALED MOUNTING HOLES INCLUDED



TARANTULA T5	T5.102	T5.104	T5.122	T5.124	T5.152	T5.154
MAX Power (watts)	1,80	00w	2,00)0w	2,6	00w
RMS Power (watts)	900	0w	1,00)0w	1,3	00w
Efficiency (1w/1m dB)	83.5	5dB	86	dB	88	idB
Voice Coil Configuration	3" DVC 2Ω	3" DVC 4Ω	3" DVC 2Ω	3" DVC 4Ω	3" DVC 2Ω	3" DVC 4Ω
Mounting Depth	6.2	25"	7.2	25"	9.2	25"
Optimum Sealed Box	0.7	5ft³	1.5	Oft ³	2.0	Oft ³
Optimum Ported Box	1.2	5ft³	2.5	Oft ³	4.0	Oft ³



Subwoofers

Reference Subwoofer

SOMETIMES A WOOFER COMES ALONG THAT CHANGES THE GAME. THE R3 IS JUST THAT; IT HAS A HIGH ROLL SURROUND FOR AN EXTENDED EXCURSION. WITH A 4-LAYER VOICE COIL AND A GIGANTIC MOTOR STRUCTURE, IT CAN HANDLE SOME SERIOUS AUTHORITY. THIS WOOFER CAN GET DOWN AND HANG WITH JUST ABOUT ANY OTHER WOOFER OUT THERE WITH INCOMPARABLE SOUND QUALITY. WHETHER AN SPL COMPETITOR OR AN SQ COMPETITOR, THIS IS A WOOFER THAT CAN DO IT ALL.

REFERENCE R3 WOOFERS USE FIBERGLASS STRANDING WOVEN TOGETHER FOR ULTIMATE STRENGTH AND LESS ELASTICITY. A HEAVY SOAKING IN EPOXY COMBINED WITH SONIC QUALITIES OF PULP PAPER BACKING PROCESS ITSELF WORTH OF ANY SYSTEM.


REFERENCE R3	R3.8	R3.10	R3.12
MAX Power (watts)	1,000w	1,400w	1,600w
RMS Power (watts)	500w	700w	800w
Efficiency (1w/1m)	80.70dB	82.10dB	84.66dB
Voice Coil Configuration	2.00" DVC 2Ω	2.5" DVC 2Ω	2.5" DVC 2Ω
Mounting Depth	5.25"	6.00"	6.875"
Optimum Sealed ft ³	0.75ft ³	1.00ft ³	1.50ft ³
Optimum Ported ft ³	1.25ft ³	1.50ft ³	2.25ft ³



BASS XTREME

COMPLIMENTING BASS XTREME AMPLIFIERS, 2019'S BXW-12 WOOFERS COMBINE EXTREME PERFORMANCE AND AFFORDABILITY. EACH 12" WOOFER HAS A 4-LAYER 2" DUAL 4-OHM VOICE COIL, WITH SPRUCE PAPER CONES ATTACHED TO FOAM SURROUNDS TO KEEP THE MOMENTUM IN CHECK.

DOUBLE-STACK 1140Z MAGNET MOTOR STRUCTURE PROVIDE THE ENERGY TO GET'EM JUMPIN'. EACH WOOFER CAN HANDLE 800W RMS, AND 2,400W PEAK.





Subwoofers

Picasso Shallow Subwoofers

PICASSO SHALLOW SUBWOOFERS COMBINE PERFORMANCE AND VALUE. THESE SHALLOW SUBWOOFERS PERFORM BEST IN SMALL SEALED ENCLOSURES, WITH MINIMAL POWER REQUIREMENTS, THANKS TO EFFICIENCIES IN CONE AND SUSPENSION DESIGN.





PICASSO SUBWOOFERS	PSW.104	PSW.124
MAX Power (watts)	500w	600w
RMS Power (watts)	250w	300w
Efficiency (1w/1m)	86.40dB	88.41dB
Voice Coil Configuration	2" SV	C 4Ω
Mounting Depth	3.00"	3.50"
Optimum Sealed ft ³	0.75ft ³	1.00ft ³

USB-8DL

Powered Enclosure w/ 8"
Subwoofer & RGB LED Lighting

USB-10DL

POWERED ENCLOSURE W/ 10"
SUBWOOFER & RGB LED LIGHTING

Today's active powered subwoofers bring big bass to small spaces that a typical subwoofer wouldn't fit. USB active subwoofers are made from a die-cast powder-coated aluminum enclosure w/ an integrated grill, protecting the subwoofer & amplifier from unintentional damage. Traditional pre-amp features like low-pass crossover, 45Hz bass boost, and a signal phase switch bring dynamic sound to life. RCA Line-in & speaker-level inputs with signal sensing turn-on provide various options to ingetrage USB into your vehicles audio system. A wired remote control is included, allowing volume adjustment from the driver's seat.



Powder Coated Diecast Aluminum Enclosure
RGB LED Lighting Flood the Subwoofer with Light
600w Class D Monoblock Subwoofer Amplifier (USB-8L)
800w Class D Monoblock Aubwoofer Amplifier (USB-10L)
Variable 50-150Hz 12dB Low Pass Crossover
Variable 0-12dB Bass Boost Centered at 45Hz
0-180 Signal Phase Switch for Dynamic Response
High Level Input on Quick Disconnect Harness
Optional High Level Signal Sense Auto-Turn On
200m V-6V Stereo Low Level RCA Input
8g Power/Ground Wire Input Terminal
Dash-Mount Remote Level Control Included
9.50"w x 3.375"h x 12.25"L (USB-8L)
10.25"w x 3.375"h x 13.50"L (USB-10L)



Car Speakers

Picasso

IMPROVED EFFICIENCY DIAPHRAGM & MAGNET STRUCTURE CARBON FIBER INJECTION MOLDED POLYPROPYLENE CONE TREATED WOVEN CLOTH SURROUND

PHASE PLUG IMPROVED DYNAMIC RESPONSE

1" VOICE COIL ON ALUMINUM FORMER


4-OHM SYSTEM IMPEDANCE


QUICK DISCONNECT TERMINALS

1" PIVOTING SOFT DOME TWEETER

FLUSH OR SURFACE MOUNTING PASSIVE CROSSOVER INCLUDED

FREQ-RESPONSE: 70-20KHZ







IMPROVED EFFICIENCY DIAPHRAGM & MAGNET STRUCTURE INJECTION MOLDED POLYPROPYLENE CONE

TREATED WOVEN CLOTH SURROUND

Phase Plug Improved Dynamic Response

1" VOICE COIL ON ALUMINUM FORMER

4-OHM SYSTEM IMPEDANCE

QUICK DISCONNECT TERMINALS

1" PIVOTING BALANCED DOME TWEETER

FLUSH OR SURFACE MOUNTING Passive Crossover Included

FREQ-RESPONSE: 70-20KHZ



AC.6	
Size & Type	6.5" 2-way
MAX Power (watts)	300
RMS Power (watts)	100
System Efficiency	92dB
Top Mount Depth	2.50"







IMPROVED EFFICIENCY DIAPHRAGM & MAGNET STRUCTURE INJECTION MOLDED POLYPROPYLENE CONE

TREATED WOVEN CLOTH SURROUND

1" VOICE COIL ON ALUMINUM FORMER

4-OHM SYSTEM IMPEDANCE

QUICK DISCONNECT TERMINALS

2" BALANCED DOME MYLAR MIDRANGE (694)

1" BALANCED DOME MYLAR TWEETER

ARACHNID SPEAKERS	AF.694	AF.653	AF.573	AF.52	AF.42
Size and Configuration	6"x9" 4-way	6.5" 3-way	5"x7" 3-way	5.25" 2-way	4" 2-way
MAX Power (watts)	500	300	350	250	200
RMS Power (watts)	170	100	120	80	70
Efficiency (1w/1m dB)	93.00	92.00	92.00	90.00	90.00
Mounting Depth	3.25"	1.75"	2.625"	2.25"	1.75"



AF.573

Tweeters



TWS. 1 1" SOFT DOME TWEETER

FERROFLUID COOLED
NEODYMIUM MAGNET
TRI-MOUNTING - FLUSH, SURFACE OR ANGLE
12DB/OCTAVE PASSIVE CROSSOVER INCLUDED
RATED INPUT POWER: 110W
IMPEDANCE: 40HM
FREQ. RESP. 3KHZ - 20KHZ
SPL 93DB







TWS.3N 1" PEI DOME TWEETER

TRI-MOUNTING - FLUSH, SURFACE OR ANGLE
ADJUSTABLE EYEBALL DESIGN
BUILT-IN 12 DB IN-LINE CROSSOVER
RATED INPUT POWER: 110W
IMPEDANCE: 4 OHM
FREO. RESP. 2KHZ-21KHZ
SPL 94DB









TWS.4 1" TANTALUM DOME TWEETER

POLISHED ALUMINUM HOUSING
DUAL-MOUNTING – SURFACE OR ANGLE
BUILT-IN 12 DB IN-LINE CROSSOVER
RATED INPUT POWER: 110W
IMPEDANCE: 4 OHM
FREQ. RESP. 5KHZ-25KHZ
SPL 95DB







TWT.5 1" PEI DOME TWEETER

SURFACE OR ANGLED MOUNTING 12DB PASSIVE CROSSOVER INCLUDED RATED INPUT POWER: 110W IMPEDANCE: 4 OHM FREQ. RESP. 2KHZ-21KHZ SPL 97DB









TWS.7 1" PEI DOME TWEETER

Ferrofluid cooled Neodymium magnet Tri-Mounting - flush, surface or angle 12dB/Octave passive crossover included Rated Input Power: 110W Impedance: 40hm Freq. Resp. 3KHz - 20KHz SPL 93dB



PROAUDIO





SM PRO Series Speakers	SM.650PROC (pr.)	SM.650PRO (pr.)	SM.800PRO (pr.)
Size			8"
MAX Power Handling	250w		400w
RMS Power Handling	125w		200w
Impedance	4-Ohm		4-Ohm
Frequency Response	150-25kHz	150-10kHz	100-10kHz
Efficiency (1w/1m)	96dB	94dB	97dB
Mounting Depth	3.00"		3.50"

SM.800PRO

UNDSTREAM







SM Series Speakers	SM.650 (pr.)	SM.650C (pr.)	SM.690 (pr.)	SM.800 (pr.)
Size		6.5"		8"
MAX Power Handling	200w		250w	300w
RMS Power Handling	100w			150w
Impedance	4-Ohm		4-Ohm	4-Ohm
Frequency Response	150Hz-25kHz	150Hz-25kHz	100Hz-10kHz	100Hz-10kHz
Efficiency (1w/1m)	93dB	91dB	93dB	94dB
Mounting Depth			3.00"	3.25"



PROAUDIO









6.5 200		8" 250w		8"
200		250		
	200w		250w	400w
100w		125w	125w	200w
4-Ohm		4-Ohm	4-Ohm	4-Ohm
-25kHz	150-10kHz	100-10kHz	150-25kHz	100-25kHz
3dB	91dB	94dB	94dB	97dB
		3.50"	3.50"	4.50''
	4-01 25kHz 3dB	4-Ohm 25kHz 150-10kHz	4-Ohm 4-Ohm 25kHz 150-10kHz 100-10kHz 3dB 91dB 94dB	4-Ohm 4-Ohm 4-Ohm 25kHz 150-10kHz 100-10kHz 150-25kHz 3dB 91dB 94dB 94dB







SPD.200



SPD.400

POWERSPORT Head Units

MHU-32SXM

MARINE GRADE DIGITAL MEDIA PLAYER W/ SIRIUSXM INTERFACE. 32GB USB PLAYBACK. BLUETOOTH V4.0. & 3-ZONE AUDIO



(((SiriusXM)))

UPGRADES INCLUDE:

READY FOR SIRIUS XM SATELLITE RADIO TUNER SXV300;

ENJOY OVER 140 CHANNELS, INCLUDING COMMERCIAL-FREE MUSIC PLUS THE BEST SPORTS, NEWS, TALK, COMEDY AND ENTERTAINMENT 3.2" COLOR TFT LCD DISPLAY W/INTERACTIVE GRAPHIC USER INTERFACE REAR USB INPUT FOR MP4 VIDEO, MP3 & OTHER AUDIO FILE PLAYBACK 3-ZONE AUDIO OUTPUTS W/INDEPENDENT VOLUME LEVEL; 4V 2-CHANNEL STEREO PRE-AMP RCA OUTPUTS (X3) 4V 2-CHANNEL SUBWOOFER PRE-AMP RCA OUTPUT INDEPENDENT SUBWOOFER VOLUME LEVEL & CROSSOVER













SMR-21B

SINGLE DIN CD PLAYER W/32GB USB PLAYBACK & BLUETOOTH















MHU-32

MARINE GRADE DIGITAL MEDIA PLAYER W/32GB USB PLAYBACK, BLUETOOTH V4.0, & 2-ZONE AUDIO



GENERAL INFORMATION

MARINE GRADE IP65 WATERTIGHT ENCLOSURE CONSTRUCTION CONFORMAL COATED PRINTED CIRCUIT BOARDS & COMPONENTS ZERO CURRENT DRAW EPROM MEMORY RETAINS PRESETS ALUMINUM U-BRACKET MOUNTING HARDWARE INCLUDED WATERPROOF RUBBER KEYS W/7-COLOR LED BACKLIGHTING DIGITAL MEDIA PLAYER W/AM/FM & WEATHERBAND TUNER BLUETOOTH V4.0 HANDS FREE CALLING FROM ENABLED DEVICES A2DP WIRELESS AUDIO PLAYBACK FROM ENABLED DEVICES REAR USB INPUT FOR MP3 & OTHER AUDIO FILE PLAYBACK SECOND ZONE AUDIO OUTPUT W/INDEPENDENT VOLUME LEVEL 2-BAND EQUALIZER WITH AUDIO STAGING CONTROLS 300W 4-CHANNEL HIGH LEVEL SPEAKER OUTPUTS, 4-OHM STABLE 2-Channel Stereo RCA Audio Input for Personal Media Players OVERALL DIMENSION: 5 1/8" W x 3" H x 2.25" D

GENERAL INFORMATION

1-DIN DIGITAL AUDIO ENTERTAINMENT SYSTEM ISO 1-DIN CHASSIS, MOUNTING SLEEVE INCLUDED THEFT-DETERRENT DETACHABLE FACEPLATE W/ CASE BLUETOOTH 4.0 PHONE CALLING + A2DP AUDIO STREAMING

DIGITAL MEDIA PLAYBACK

AUDIO PLAYBACK FROM CD & CDR DISCS (VCD-21B) AUDIO PLAYBACK FROM 64GB USB OR FULL SIZE SD CARD MP3 & WMA AUDIO FILE TYPE PLAYBACK

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel AUX AUDIO RCA INPUT FROM EXTERNAL SOURCES ON BACK PANEL 4CH PREAMP RCA OUTPUTS; FRONT L/R + REAR L/R 4CH, 300W MAX CLASS A/B FULL RANGE SPEAKER AMPLIFIER


POWERSPORT Amplifier

Rubicon nano

HIGH EFFICIENCY CLASS D FULL RANGE AMPLIFIERS HYBRID ALUMINUM ALLOY HEATSINK FOR OPTIMUM DISSIPATION 2-OHM STEREO & 4-OHM BRIDGED CLASS D FULL RANGE 1-OHM MINIMUM IMPEDANCE MONOBLOCK OPERATION MOSFET Power Supply W/ Audiophile Grade IRTM Transistors MILITARY GRADE SMT PCB MAINTAINS DYNAMIC PERFORMANCE Splash Resistant Conformal Coated Circuit Boards DIRECT SHORT, THERMAL, & OVERLOAD CIRCUITS PROTECT AMPLIFIER 200MV-6V Low Level RCA or High Level Signal Input QUICK DISCONNECT HIGH LEVEL WIRE HARNESS INCLUDED 4G POWER INPUT TERMINALS & 12G SPEAKER OUTPUT TERMINALS VARIABLE 12DB HIGH PASS, LOW PASS, & SUBSONIC CROSSOVERS 12DB BASS BOOST INCREASES LOW OCTAVE HARMONICS DASH MOUNT GAIN CONTROL MODULE INCLUDED







STEALTH

95%+ Efficient Class D Full Range

Only 3" x 1.5"!

Install-Me-Anywhere Micro Footprint

HIGH EFFICIENCY CLASS D FULL RANGE & MONOBLOCK AMPLIFIERS HYBRID ALUMINUM ALLOY HEATSINK FOR OPTIMUM DISSIPATION 2-OHM STEREO & 4-OHM BRIDGED FULL RANGE OPERATION 2-OHM MINIMUM IMPEDANCE MONOBLOCK OPERATION BUILT-IN BLUETOOTH V3.0 FOR WIRELESS MOBILE DEVICE PLAYBACK* MOSFET Power Supply w/ Audiophile Grade IRTM Transistors MILITARY GRADE SMT PCB MAINTAINS DYNAMIC PERFORMANCE SPLASH RESISTANT CONFORMAL COATED CIRCUIT BOARDS DIRECT SHORT, THERMAL, & OVERLOAD CIRCUITS PROTECT AMPLIFIER 200MV-12V HIGH LEVEL OR LOW LEVEL RCA INPUT QUICK DISCONNECT RCA/HIGH LEVEL WIRE HARNESS QUICK DISCONNECT POWER AND SPEAKER OUTPUT HARNESS VARIABLE 12DB HIGH PASS, LOW PASS, & SUBSONIC CROSSOVERS 12DB BASS BOOST INCREASES LOW OCTAVE HARMONICS (SM1) DASH MOUNT GAIN CONTROL MODULE INCLUDED (SM1)





Stealth Amplifiers	SM4.1000D	SM1.700D	ST4.1000DB
RMS Power 4Ω	90 x 4	250 x 1	90 x 4
RMS Power 2Ω	125 x 4	350 x 1	125 x 4
RMS Power 4Ω Bridged	250 x 2	-	250 x 2
MAX Power	1000w	700w	1000w
Remote Gain Control	-///-/-	Included	-
Dimensions (3"w x 1.5"h)	6.50"	6.50"	7.75"

WAKE TOWER SPEAKERS

WTS Wake Tower Speakers offer maximum performance in the open air environment of any boat or off-road vehicle. Considering extreme outdoor conditions, WTS systems use the best materials to defend potentially damaging effects of water and UV sunlight, and impact resistance. Additional options for WTS enclosures include bright white or RGB LED grill rings, and a rear mounted high intensity LED spot light. Each WTS enclosure is pre-wired for the optional LED rings and spot light, making future add-on simple.

IMMEDIATELY AVAILABLE WTS SETS INCLUDE 6.5" & 8" COAXIAL, IN BRILLIANT GLOSS WHITE AND BLACK. AVAILABLE SPRING 2017 IN TIME FOR THE 2017 BOAT SEASON, AN ADDITIONAL 8" COAXIAL SET WILL FEATURE A HIGH EFFICIENCY HORN LOADED COMPRESSION TWEETER AND MIDRANGE DRIVER. WHATEVER YOUR APPLICATION, WTS SPEAKER SYSTEMS ARE GUARANTEED TO CARRY YOUR TUNES ACROSS ANY LAKE, RIVER, OR DESERT.

ENCLOSURE CONSTRUCTION

WTS ENCLOSURE CONSTRUCTION BEGINS WITH CENTREX, A MATERIAL MADE IN THE USA, THAT OFFERS INCREDIBLE ADVANTAGES TO TRADITIONAL POLYMER MATERIALS. CENTREX IS RESILIENT TO EXTREME TEMPERATURES, CHEMICALS, & WEATHERING, WHILE MAINTAINING IMPERVIOUS STRUCTURAL DENSITY. WTS ENCLOSURES RESIST HARMFUL SUNLIGHT FROM DETERIORATING ITS BRILLIANT COLORING THANKS TO A UV INHIBITOR BLENDED WITH THE RAW CENTREX MATERIAL.

FOLLOWING THE CONCEPT OF SUPERIOR MATERIALS, WTS MOUNTING CLAMPS ARE CAST ALUMINUM, WITH ADJUSTMENT TO 2.5" DIAMETER, AND CAN ROTATE 360°. INCLUDED RUBBER INSERTS ACCOMMODATE INSTALLATION TO MOST ROUND OR OVAL WATERCRAFT WAKE TOWERS AND OFF-ROAD VEHICLE ROLL CAGES. ALL SPEAKER, LED RING, AND LED SPOT LIGHT PRE-WIRE PASSES THRU THE MOUNTING BRACKET CENTER, KEEPING ALL WIRING CONTAINED IN A DRY ENVIRONMENT.

SPEAKER CHARACTERISTICS

COAXIAL SPEAKERS OF WTS USE WATERPROOF MATERIALS, INCLUDING BLENDED POLYPROPYLENE-MICA CONES, TITANIUM DOME TWEETER, AND RUBBER GASKETS AROUND THE TWEETER BRIDGE. A NEOPRENE GASKET UNDER THE SPEAKER FRAME PREVENTS MOISTURE FROM ENTERING THE ENCLOSURE, ELIMINATING THE POSSIBILITY OF ELECTRICAL SHORTING. COLOR MATCHING GRILLS MADE OF CENTREX AND A STAINLESS STEEL MESH OVER THE TWEETER PREVENT HARMFUL DAMAGE BY ROGUE DEBRIS.

WTS-6W Pair (2) of Gloss White 6.5" Wake Tower Speakers WTS-8W Pair (2) of Gloss White 8" Wake Tower Speakers

WTS-LED Pair (2) of LED Spot Lights for WTS

LED-6W Pair (2) of 6.5" Bright White LED Speaker Rings

LED-6RGB Pair (2) of 6.5" RGB LED Speaker Rings

LED-8W Pair (2) of 8" Bright White LED Speaker Rings





POWERSPORT Speakers

MCS coaxial speakers and MSW subwoofer are a necessity to rockin' out in your boat or off-road vehicle. Using the same critical moisture and UV resistant CentrexTM material of the WTS wake tower enclosures, you can bet they withstand extreme outdoor conditions. Everyone will hear you coming thanks to ultra-light weight blended polypropylene-mica cones and ear piercing titanium dome tweeter. Each speaker set and subwoofer includes matching gloss white and gloss black grills with anodized aluminum mesh, and are pre-wired to install optional RGB LED grill rings. For that extra edge over the next guy, check out the 10" MCS coaxial speaker, guaranteed to knock anyone off their feet!!!



INJECTION MOLDED FRAME & GRILL USING CENTREX® 814 UV RESISTANT POLYMER ELECTRO-MAGNETIC COMPONENTS SEALED INTERNALLY WITHIN THE FRAME STRUCTURE BRUSHED ALUMINUM GRILL MESH PREVENTS ACCIDENTAL PUNCTURES MATCHING GLOSS BLACK & GLOSS WHITE GRILLS INCLUDED WITH EACH SET INJECTION MOLDED POLYPROPYLENE-MICA COMPOSITE SPEAKER CONE 125" EXTREME TEMPERATURE TOLERANT VOICE COIL W/ EPOXY COATING 1" FORMED TITANIUM EXTENDED FREQUENCY RANGE DOME TWEETER CLOSED-BACK COAXIAL TWEETER W/ ISOLATED ELECTRICAL CONNECTIONS CHEMICAL AND UV RESISTANT THERMO-FORMED RUBBER GASKETS & SURROUND PRE-WIRED CONNECTION TERMINALS FOR AVAILABLE LED LIGHT RINGS BUILT-IN

PREMIUM MARINE GRADE 6.5", 8", 10" SPEAKERS & 10" SUBWOOFER

MARINE SPEAKERS	MCS.80	MCS.10
Size and Configuration	8" 2-way	10" 2-way
MAX Power (watts)	250w	300w
RMS Power (watts)	125w	150w
Efficiency (1w/1m dB)	90.20dB	90.60dB
Mounting Depth	4.00''	4.50''



POWERSPORT Subwoofers





soundstream.com